

The Conex Product Guide - August 2009





Welcome to the Conex Product Guide

The content of this publication is for general information only. It is the user's responsibility to determine suitability of any product for the purpose intended and reference should be made to our Technical Department if clarification is required. In the interests of technical development we reserve the right to change specification, design and materials without notice.

Innovation You Can Trust



Contents

Introduction to IBP Conex	4
Conex Compression	7
Brass, DZR brass and red brass compression fittings	14
Accessories for Conex Compression fittings	48
Manifolds	59
Chrome plated brass and DZR brass compression fittings	60
Captive swivel plug chrome plated brass wastes	68
Tubular traps	70
Bottle traps	72
Waste fittings	73
Accessories for Conex Compression waste fittings	76
Conex Isoconex	79
Brass compression fittings and accessories for use with MDPE, PB and P-EX pipe	80
Conex Series 3000	89
Red brass threaded fittings	92
Conex Series 8000	105
Yellow brass threaded fittings	108
Conex Delcop End Feed	115
End feed capillary fittings	120
Conex Delbraz	151
End feed brazing fittings	154
Conex Coas	162
Accessories for capillary fittings	162
Conex Triflow Solder Ring	165
Integral lead-free solder ring fittings	170

Conex Compression Valves	189
Stop valves	190
Draining taps	190
Gate valves	192
Servicing valves	194
Plug tap	195
Lever ball valves	196
Float valves	199
Conex Oyster	201
Termination fitting	206
Conex >B< Press	209
Press fit fittings for copper tube – hot and cold water installations Press machines, collars and jaws	214
Conex >B< Press Gas	228
Press fit fittings for copper tube – natural gas and LPG installations	228
Conex >B< Press Inox	245
Press fit fittings for stainless steel tube	247
Conex >B< Press Solar	261
Press fit fittings for solar installations	264
Conex Push-Fit	271
DZR brass push fit fittings for multiple tube and pipe materials	272
Conex Cuprofit	281
Copper and DZR brass push fit fittings and valves for copper tube	284



Who are we

Conex Bänninger, the widely recognised brand identity of IBP, specialises in providing the best plumbing fittings and accessories across the globe.

But more than the products themselves we offer innovative and versatile jointing solutions. For the last 100 years, Conex Bänninger has been building its reputation for quality manufacturing, backed by first-class customer service and unrivalled expertise. Passionate about excellence, Conex Bänninger is a byword for quality in the domestic, commercial, industrial, air conditioning and refrigeration and shipbuilding markets worldwide.

What we do

In the UK, a wide variety of connecting technologies including Endfeed, Compression, Threaded, Crimp, Solder Ring and Push-Fit are offered under the Conex name.

Quality

IBP is an ISO 9000 Quality assured company registered with the BSI. IBP has approvals from numerous national and international bodies including DVGW, KIWA, GASTEC, WRAS and AENOR, plus many others well known. The majority of IBP Conex fittings are covered by the B.S.I. Kitemark under Licence No. KM 07283.




Health and Safety

It is the responsibility of the end user to ensure that all adequate protection is available when required and the necessary information regarding Health and Safety Regulations is adhered to. Copper and copper alloy fittings are considered non-hazardous under normal circumstances.

DZR Fittings

Many of IBP Conex fittings are available in dezincification resistance (DZR) brass or as dezincification immune red brass. Dezincification of ordinary duplex brass fittings may occur under certain water supply conditions. The Conex DZR range of fittings can safely be used in these circumstances. DZR fittings are marked with the **CR** symbol, recognised by the Water Industry and the British Plumbing Fittings Manufacturers' Association, and now specified in British Standards as a mark denoting materials of assessed capability of resistance.



Conex Compression

Compression Fittings Range



Applications and Uses

Conex Compression fittings are especially advantageous in retrofit plumbing schemes, where space is confined and/or the use of heat must be avoided. They are available in 6-108mm and are suitable for connecting tubes in accordance with EN 1057 and many other standards including ISO 274.

Conex unique ribbed capnuts are supplied in 15-28mm. Sizes 6-12 and 35-54mm are supplied with octagonal capnuts. Fittings in 66.7-108mm incorporate loose compression plates, where tightening is through six 3/8" BSW nuts and all threads. PTFE tape is not required for the installation process.


Conex Compression fittings are available in duplex brass and/or dezincification resistant (DZR) brass or as dezincification immune red brass. Fittings are also available chrome plated in accordance with EN 248.

Conex Compression fittings are suitable for connecting a wide range of tubes including copper tubes in accordance with EN 1057 and many other standards including ISO 274. Fittings are also compatible with low carbon steel, stainless steel and many types of plastic pipe including crossed linked polyethylene (PE-X) and polybutylene (PB) with size compatible outside diameters.

Hydraulic Working temperatures and pressures based on EN 1254-2 are shown below:

Copper Tube			
For Use with	Tube Sizes	Temps Not Exceeding	Max Working Pressures
Water Applications	MM	°C	Bar
	6-15	0-95	25
	16-28		16
	35-54		13
	67-108		10
LPG, Natural Gas	8-28	30	1
Compressed Air	8-28		7

Maximum Working Temperatures and Pressures



Conex compression ribnut profile

Conex Compression

MATERIAL	TUBE SPECIFICATION	SIZE ►	6mm to 18mm	
HALF HARD AND HARD COPPER	EN1057-R250 (Half Hard)	Nº of turns	1¼	
		Liner	none	
	EN1057-R290 (Hard)	Nº of turns	1	
		Liner	none	
SOFT COPPER	EN1057-R220	SIZE ►	8mm	
		Nº of turns	1¼	
		Liner: SC1	8 x 1.0	
STAINLESS STEEL	EN10312 Series 1+2 (BS4127)	SIZE ►	6mm to 22mm	
		Nº of turns	¾	
		Liner	none	
FLEXIBLE	POLYBUTYLENE (PB)	SIZE ►	10mm	
		Nº of turns	1½	
		*Liner	10 x 1.5/1.8	
	CROSS LINKED POLYETHYLENE (PE-X)	SIZE ►	10mm	
		Nº of turns	1½	
		*Liner	10 x 1.5/1.8	
	MEDIUM DENSITY POLYETHYLENE (MDPE)	SIZE ►	20mm	
		Nº of turns	1½	
		Liner: PY	20 x 2.3/2.6	

PLEASE CONSULT OUR TECHNICAL DEPARTMENT WHEN USING OTHER MATERIALS.

*Liner to be specified by the tube manufacturer.

	22mm	28mm to 54mm		
	1	$\frac{3}{4}$		
	none	none		
	$\frac{3}{4}$	$\frac{1}{2}$		
	none	none		
	10mm	15mm	18mm	22mm
	$1\frac{1}{4}$	$1\frac{1}{4}$	$1\frac{1}{4}$	1
	10 x 1.0	15 x 1.0	18 x 1.0	22 x 1.0
	28mm	35mm to 54mm	67mm to 76.1mm	
	$\frac{1}{2}$	$\frac{1}{2}$ *	*	
	none	none	none	
	15mm	22mm	28mm	
	$1\frac{1}{2}$	$1\frac{1}{2}$	$1\frac{1}{2}$	
	15 x 1.7/2.0	22 x 2.0/2.3	28 x 2.6/2.9	
	15mm	22mm	28mm	
	$1\frac{1}{2}$	$1\frac{1}{2}$	$1\frac{1}{2}$	
	15 x 1.5/1.8	22 x 2.0/2.3	28 x 2.6/2.9	
	25mm	32mm		
	$1\frac{1}{2}$	$1\frac{1}{2}$		
	25 x 2.3/2.6	32 x 3.0/3.4		

*Please refer to our Technical Department.

COMPRESSION ASSEMBLY INSTRUCTIONS:

Tools required:

Tube cutter, deburring tool, 2 flat-faced spanners.

Assembly

- Ensure the tube and fitting sizes are compatible.
Cut the tube end square, and ensure it retains its shape.
- Deburr the tube, both inside and outside.
- Remove the capnut and compression ring from the fitting.
- Slide the capnut, and compression ring onto the tube.
- Join the fitting onto the tube end, and slide the compression ring, and capnut towards the fitting.
- Hand tighten the capnut.
- With suitable flat-faced spanners, tighten the joint to the recommended minimum number of turns.
- If necessary, tighten by another 1/2 of a turn.

Demounting

- Turn off the water supply.
- Place a suitable receptacle under the joint to be dismantled.
- With suitable flat-faced spanners, undo the joint.
- Slide the capnut back from the captive compression ring.
- Pull the tube from the fitting socket, ensuring any excess water is collected in the receptacle.

Conex Compression



Conex Compression

Brass, **DZR** and Red Brass 6mm - 108mm

301 **S301:** Straight Coupler

Conex x Conex



ITEM	SIZE	PACK QTY
DD-1020301--	12	10
EE-1020301--	15	10 A Range
FF-1020301--	18	10
GG-1020301--	22	10 A Range
HH-1020301--	28	10
JJ-1020301--	35	1
AA-5020301--	6	10
BB-5020301--	8	10
CC-5020301--	10	10
DD-5020301--	12	10
EE-5020301--	15	10 A Range
FF-5020301--	18	10
GG-5020301--	22	10 A Range
HH-5020301--	28	10
JJ-5020301--	35	1
KK-5020301--	42	1
NN-5020301--	54	1
QQ-2020301--	67	1
RR-2020301--	76	1
SS-2020301--	108	1

Note: all sizes are in mm unless otherwise stated

Brass, **DZR** and Red Brass 6mm - 108mm

301 **S301:** Reduced Straight Coupler

Conex x Conex



ITEM	SIZE	PACK QTY
ED-1020301--	15 x 12	10
FD-1020301--	18 x 12	10
GE-1020301--	22 x 15	10
GF-1020301--	22 x 18	10
HG-1020301--	28 x 22	10

BA-5020301--	8 x 6	10
CB-5020301--	10 x 8	10
DB-5020301--	12 x 8	10
DC-5020301--	12 x 10	10
EB-5020301--	15 x 8	10
EC-5020301--	15 x 10	10
ED-5020301--	15 x 12	10
FE-5020301--	18 x 15	10
GE-5020301--	22 x 15	10
HE-5020301--	28 x 15	10
HG-5020301--	28 x 22	10
JG-5020301--	35 x 22	1
JH-5020301--	35 x 28	1

Note: all sizes are in mm unless otherwise stated

Conex Compression

Brass, **DZR** and Red Brass 6mm - 108mm

301BH: Straight Coupler Bulkhead

Conex x Conex



ITEM	SIZE	PACK QTY
EE-1020301BH	15	5
GG-1020301BH	22	1

301BP: Straight Coupler Burst Pipe Repair


Conex x Conex x Length (mm)



ITEM	SIZE	PACK QTY
DZB1020301BP	12	10
EZB1020301BP	15	10
FZB1020301BP	18	10
GZB1020301BP	22	5

S301CO: Crossover

Conex x Conex



ITEM	SIZE	PACK QTY
EE-5020301CO	15	10
FF-5020301CO	18	5
GG-5020301CO	22	5

Note: all sizes are in mm unless otherwise stated

Brass, **DZR** and Red Brass 6mm - 108mm

301DA: Straight Coupler with Drain Tap

Conex x Conex



ITEM	SIZE	PACK QTY
EE-1020301DA	15	5
GG-1020301DA	22	5

S301IM: Imperial To Metric Straight Coupler

Conex x Conex



ITEM	SIZE	PACK QTY
R302020301IM	76 x 3"	1

301V: Straight Coupler with Air Vent

Conex x Conex



ITEM	SIZE	PACK QTY
EE-1020301V-	15	10

Note: all sizes are in mm unless otherwise stated

Conex Compression

Brass, **DZR** and Red Brass 6mm - 108mm

302 **S302:** Male Straight Connector

Conex x Male Thread (Parallel)



ITEM	SIZE	PACK QTY
D011020302--	12 x 1/4"	10
D021020302--	12 x 3/8"	10
D031020302--	12 x 1/2"	10
E011020302--	15 x 1/4"	10
E021020302--	15 x 3/8"	10
E031020302--	15 x 1/2"	10
E041020302--	15 x 3/4"	10
F031020302--	18 x 1/2"	10
F041020302--	18 x 3/4"	10
G031020302--	22 x 1/2"	10
G041020302--	22 x 3/4"	10
G051020302--	22 x 1"	10
H051020302--	28 x 1"	10
H061020302--	28 x 1.1/4"	1
J061020302--	35 x 1.1/4"	1
K071020302--	42 x 1.1/2"	1
N081020302--	54 x 2"	1



A605020302--	6 x 1/8"	10
B015020302--	8 x 1/4"	10
B025020302--	8 x 3/8"	10
B035020302--	8 x 1/2"	10
C015020302--	10 x 1/4"	10
C025020302--	10 x 3/8"	10

Note: all sizes are in mm unless otherwise stated

ITEM	SIZE	PACK QTY
C035020302--	10 x 1/2"	10
D025020302--	12 x 3/8"	10
D035020302--	12 x 1/2"	10
E025020302--	15 x 3/8"	10
E035020302--	15 x 1/2"	10
E045020302--	15 x 3/4"	10
F035020302--	18 x 1/2"	10
F045020302--	18 x 3/4"	10
G035020302--	22 x 1/2"	10
G045020302--	22 x 3/4"	10
G055020302--	22 x 1"	10
H055020302--	28 x 1"	10
H045020302--	28 x 3/4"	10
J055020302--	35 x 1"	1
J065020302--	35 x 1.1/4"	1
K075020302--	42 x 1.1/2"	1
N085020302--	54 x 2"	1
Q092020302--	67 x 2.1/2"	1
R302020302--	76 x 3"	1
S402020302--	108 x 4"	1

Note: all sizes are in mm unless otherwise stated

Conex Compression

Brass, **DZR** and Red Brass 6mm - 108mm

302B: Extended Male Straight Connector with Back Nut Conex x Male Thread x Tail Length (mm)



ITEM	SIZE	PACK QTY
E031020302B-	15 x 1/2"	10
G041020302B-	22 x 3/4"	10
H051020302B-	28 x 1"	10
J061020302B-	35 x 1.1/4"	1
K071020302B-	42 x 1.1/2"	1
N081020302B-	54 x 2"	1
Q092020302B-	67 x 2.1/2"	1
R302020302B-	76 x 3"	1

302CB: Extended Male Straight Connector with Back Nut (Long) Conex x Male Thread x Tail Length (mm)



ITEM	SIZE	PACK QTY
E031020302CB	15 x 1/2 x 38	10

Note: all sizes are in mm unless otherwise stated

Brass, **DZR** and Red Brass 6mm - 108mm

302TA **S302TA**: Male Straight Connector

Conex x Male Taper Thread to BS21



ITEM	SIZE	PACK QTY
D021020302TA	12 x 3/8"	10
D031020302TA	12 x 1/2"	10
E021020302TA	15 x 3/8"	10
E031020302TA	15 x 1/2"	10
E041020302TA	15 x 3/4"	10
F031020302TA	18 x 1/2"	10
F041020302TA	18 x 3/4"	10
G031020302TA	22 x 1/2"	10
G041020302TA	22 x 3/4"	10
G051020302TA	22 x 1"	10
H041020302TA	28 x 3/4"	10
H051020302TA	28 x 1"	10
C025020302TA	10 x 3/8"	10
C035020302TA	10 x 1/2"	10

Note: all sizes are in mm unless otherwise stated

Conex Compression

Brass, **DZR** and Red Brass 6mm - 108mm

303 **S303:** Female Straight Connector

Conex x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
D021020303--	12 x 3/8"	10
D031020303--	12 x 1/2"	10
E021020303--	15 x 3/8"	10
E031020303--	15 x 1/2"	10
E041020303--	15 x 3/4"	10
E051020303--	15 x 1"	5
F031020303--	18 x 1/2"	10
F041020303--	18 x 3/4"	10
G031020303--	22 x 1/2"	10
G041020303--	22 x 3/4"	10
G051020303--	22 x 1"	10
H051020303--	28 x 1"	10
H061020303--	28 x 1.1/4"	1
B015020303--	8 x 1/4"	10
B025020303--	8 x 3/8"	10
B035020303--	8 x 1/2"	10
C015020303--	10 x 1/4"	10
C025020303--	10 x 3/8"	10
C035020303--	10 x 1/2"	10
D025020303--	12 x 3/8"	10
D035020303--	12 x 1/2"	10
E035020303--	15 x 1/2"	10
E045020303--	15 x 3/4"	10

Note: all sizes are in mm unless otherwise stated

ITEM	SIZE	PACK QTY
E025020303--	15 x 3/8"	1
F035020303--	18 x 1/2"	10
F045020303--	18 x 3/4"	10
G045020303--	22 x 3/4"	10
H045020303--	28 x 3/4"	10
J055020303--	35 x 1"	1
H055020303--	28 x 1"	10
J065020303--	35 x 1.1/4"	1
K075020303--	42 x 1.1/2"	1
N085020303--	54 x 2"	1
Q092020303--	67 x 2.1/2"	1
R302020303--	76 x 3"	1

Note: all sizes are in mm unless otherwise stated

Conex Compression

Brass, **DZR** and Red Brass 6mm - 108mm

303SF S303SF: Straight Tap Connector Max temp 60°C

Conex x Swivel Female Thread



ITEM	SIZE	PACK QTY
E031020303SF	15 x 1/2"	10
G041020303SF	22 x 3/4"	10

E035020303SF	15 x 1/2"	10
E045020303SF	15 x 3/4"	10
G045020303SF	22 x 3/4"	10

303ST: Female Straight Connector For Pillar Taps

Max temp 60°C Conex x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
E031020303ST	15 x 1/2"	10
E041020303ST	15 x 3/4"	10
G041020303ST	22 x 3/4"	10

Note: all sizes are in mm unless otherwise stated

Brass, **DZR** and Red Brass 6mm - 108mm

321 **S321:** Tank Connector

Conex



ITEM	SIZE	PACK QTY
E--1020321--	15	10
G--1020321--	22	10
H--1020321--	28	10
J--1020321--	35	1

E--5020321--	15	10
G--5020321--	22	10
H--5020321--	28	10
K--5020321--	42	1
N--5020321--	54	1

Note: all sizes are in mm unless otherwise stated

Conex Compression

Brass, **DZR** and Red Brass 6mm - 108mm

323 S323: Stop End

Conex



ITEM	SIZE	PACK QTY
D--1020323--	12	10
E--1020323--	15	10
G--1020323--	22	10
H--1020323--	28	10

B--5020323--	8	10
C--5020323--	10	10
D--5020323--	12	10
E--5020323--	15	10
F--5020323--	18	10
G--5020323--	22	10
H--5020323--	28	10
J--5020323--	35	1
K--5020323--	42	1
N--5020323--	54	1

Note: all sizes are in mm unless otherwise stated

Brass, **DZR** and Red Brass 6mm - 108mm

401 **S401:** Elbow

Conex x Conex



ITEM	SIZE	PACK QTY
DD-1020401--	12	10
EE-1020401--	15	10
FF-1020401--	18	10
GG-1020401--	22	10
HH-1020401--	28	10
JJ-1020401--	35	1
KK-1020401--	42	1
NN-1020401--	54	1
AA-5020401--	6	10
BB-5020401--	8	10
CC-5020401--	10	10
DD-5020401--	12	10
EE-5020401--	15	10
FF-5020401--	18	10
GG-5020401--	22	10
HH-5020401--	28	10
JJ-5020401--	35	1
KK-5020401--	42	1
NN-2020401--	54	1

Note: all sizes are in mm unless otherwise stated

Conex Compression

Brass, **DZR** and Red Brass 6mm - 108mm

401 **S401:** Elbow

Conex x Conex



ITEM	SIZE	PACK QTY
QQ-2020401--	67	1
RR-2020401--	76	1
SS-2020401--	108	1

401 **S401:** Reduced Elbow

Conex x Conex



ITEM	SIZE	PACK QTY
ED-1020401--	15 x 12	10
FE-1020401--	18 x 15	10
GE-1020401--	22 x 15	10

DC-5020401--	12 x 10	10
EC-5020401--	15 x 10	10
GE-5020401--	22 x 15	10
HE-5020401--	28 x 15	5
HG-5020401--	28 x 22	10

Note: all sizes are in mm unless otherwise stated

Brass, **DZR** and Red Brass 6mm - 108mm

401DA: Elbow with Drain Tap

Conex x Conex



ITEM	SIZE	PACK QTY
EE-1020401DA	15	5
GG-1020401DA	22	5
HH-1020401DA	28	1

401/O: Obtuse Elbow

Conex x Conex



ITEM	SIZE	PACK QTY
EE-1020401/O	15	10
GG-1020401/O	22	10
HH-1020401/O	28	1

S401S: Slow Bend

Conex x Conex



ITEM	SIZE	PACK QTY
EE-5020401S-	15	10
GG-5020401S-	22	10
HH-5020401S-	28	5

Note: all sizes are in mm unless otherwise stated

Conex Compression

Brass, **DZR** and Red Brass 6mm - 108mm

401V: Elbow with Air Vent

Conex x Conex



ITEM	SIZE	PACK QTY
EE-1020401V-	15	10
GG-1020401V-	22	10

402 S402: Male Elbow

Conex x Male Thread (Parallel)



ITEM	SIZE	PACK QTY
E031020402--	15 x 1/2"	10
E041020402--	15 x 3/4"	10
F031020402--	18 x 1/2"	10
G041020402--	22 x 3/4"	10
G051020402--	22 x 1"	10
H041020402--	28 x 3/4"	10
H051020402--	28 x 1"	10

Note: all sizes are in mm unless otherwise stated

ITEM	SIZE	PACK QTY
B015020402--	8 x 1/4"	10
B025020402--	8 x 3/8"	10
C025020402--	10 x 3/8"	10
C035020402--	10 x 1/2"	10
D025020402--	12 x 3/8"	10
D035020402--	12 x 1/2"	10
E025020402--	15 x 3/8"	10
E035020402--	15 x 1/2"	10
E045020402--	15 x 3/4"	10
F035020402--	18 x 1/2"	10
F045020402--	18 x 3/4"	10
G035020402--	22 x 1/2"	10
G045020402--	22 x 3/4"	10
G055020402--	22 x 1"	10
H055020402--	28 x 1"	10
J065020402--	35 x 1.1/4"	1
K075020402--	42 x 1.1/2"	1
N082020402--	54 x 2"	1

Note: all sizes are in mm unless otherwise stated

Conex Compression

Brass, **DZR** and Red Brass 6mm - 108mm

402B: Extended Male Elbow with Back Nut

Conex x Male Thread x Tail Length (mm)



ITEM	SIZE	PACK QTY
E031020402B-	15 x 1/2 x 22	10
G041020402B-	22 x 3/4 x 22	10

402DA: Male Elbow with Drain Tap

Conex x Male Thread (Parallel)



ITEM	SIZE	PACK QTY
E031020402DA	15 x 1/2"	5
G041020402DA	22 x 3/4"	5

Bushed – to BS2879-2

402CB: Extended Male Elbow with Back Nut

Conex x Male Thread x Tail Length (mm)



ITEM	SIZE	PACK QTY
E031020402CB	15 x 1/2" x 38	10
G041020402CB	22 x 1/2" x 38	10

Note: all sizes are in mm unless otherwise stated

Brass, **DZR** and Red Brass 6mm - 108mm

S402S:

Slow Male Bend

Conex x Male Thread (Parallel)



ITEM	SIZE	PACK QTY
G045020402S-	22 x 3/4"	5

402TA S402TA: Male Elbow

Conex x Male Taper Thread to BS21



ITEM	SIZE	PACK QTY
D021020402TA	12 x 3/8"	10
D031020402TA	12 x 1/2"	10
E021020402TA	15 x 3/8"	10
E031020402TA	15 x 1/2"	10
E041020402TA	15 x 3/4"	10
F031020402TA	18 x 1/2"	10
F041020402TA	18 x 3/4"	10
G041020402TA	22 x 3/4"	10
G051020402TA	22 x 1"	10
H051020402TA	28 x 1"	5

Note: all sizes are in mm unless otherwise stated

Conex Compression

Brass, **DZR** and Red Brass 6mm - 108mm

402TA **S402TA:** Male Elbow

Conex x Male Taper Thread to BS21



ITEM	SIZE	PACK QTY
C035020402TA	10 x 1/2"	10

403 **S403:** Female Elbow

Conex x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
D031020403--	12 x 1/2"	10
E031020403--	15 x 1/2"	10
E041020403--	15 x 3/4"	10
F031020403--	18 x 1/2"	10
F041020403--	18 x 3/4"	10
G031020403--	22 x 1/2"	10
G041020403--	22 x 3/4"	10
G051020403--	22 x 1"	10
H041020403--	28 x 3/4"	10
H051020403--	28 x 1"	10
K071020403--	42 x 1.1/2"	1

Note: all sizes are in mm unless otherwise stated

ITEM	SIZE	PACK QTY
B015020403--	8 x 1/4"	10
C025020403--	10 x 3/8"	10
C035020403--	10 x 1/2"	10
D025020403--	12 x 3/8"	10
D035020403--	12 x 1/2"	10
E025020403--	15 x 3/8"	10
E035020403--	15 x 1/2"	10
E045020403--	15 x 3/4"	10
F045020403--	18 x 3/4"	10
G035020403--	22 x 1/2"	10
G045020403--	22 x 3/4"	10
H055020403--	28 x 1"	10
J065020403--	35 x 1.1/4"	1
K072020403--	42 x 1.1/2"	1
N082020403--	54 x 2"	1

Note: all sizes are in mm unless otherwise stated

Conex Compression

Brass, **DZR** and Red Brass 6mm - 108mm

S403SC: Cylinder Elbow

Conex x Swivel Female Thread



ITEM	SIZE	PACK QTY
G055020403SC	22 x 1"	5

403SF S403SF: Bent Tap Connector Max temp 60°C

Conex x Swivel Female Thread



ITEM	SIZE	PACK QTY
E031020403SF	15 x 1/2"	10
E041020403SF	15 x 3/4"	10
G031020403SF	22 x 1/2"	10
G041020403SF	22 x 3/4"	10

E035020403SF	15 x 1/2"	10
--------------	-----------	----

Note: all sizes are in mm unless otherwise stated

Brass, **DZR** and Red Brass 6mm - 108mm

403W **S403W:** Female Wall Plate Elbow (2 Hole)

Conex x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
D031020403W-	12 x 1/2"	10
E031020403W-	15 x 1/2"	10
Polished chrome/plated		

D035020403W-	12 x 1/2"	10
E035020403W-	15 x 1/2"	10

403WE: Extended Female Wall Plate Elbow (3 Hole)

Conex x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
E031020403WE	15 x 1/2"	1
E031220403WE	15 x 1/2"	1

Note: all sizes are in mm unless otherwise stated

Conex Compression

Brass, **DZR** and Red Brass 6mm - 108mm

403WL **S403WL**: Female Wall Plate Elbow (3 Hole)

Conex x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
E031020403WL	15 x 1/2"	10
F031020403WL	18 x 1/2"	10
G031020403WL	22 x 1/2"	10

C035020403WL	10 x 1/2"	10
D035020403WL	12 x 1/2"	10
E035020403WL	15 x 1/2"	10
G045020403WL	22 x 3/4"	10

601EQ **S601EQ**: Tee - Equal

Conex All Ends



ITEM	SIZE	PACK QTY
DDD1020601EQ	12	10
EEE1020601EQ	15	10
FFF1020601EQ	18	10
GGG1020601EQ	22	5
HHH1020601EQ	28	1

Note: all sizes are in mm unless otherwise stated



ITEM	SIZE	PACK QTY
AAA5020601EQ	6	10
BBB5020601EQ	8	10
CCC5020601EQ	10	10
DDD5020601EQ	12	10
EEE5020601EQ	15	10
FFF5020601EQ	18	10
GGG5020601EQ	22	5
HHH5020601EQ	28	1
JJJ5020601EQ	35	1
KKK5020601EQ	42	1
NNN2020601EQ	54	1
QQQ2020601EQ	67	1
RRR2020601EQ	76	1

Note: all sizes are in mm unless otherwise stated

Conex Compression

Brass, **DZR** and Red Brass 6mm - 108mm

601RB **S601RB**: Tee - Reduced Branch

Conex All Ends



ITEM	SIZE	PACK QTY
GGE1020601--	22 x 22 x 15	5
HHE1020601--	28 x 28 x 15	1
HHG1020601--	28 x 28 x 22	1
NNE1020601--	54 x 54 x 15	1
NNG1020601--	54 x 54 x 22	1
NNH1020601--	54 x 54 x 28	1
DDC5020601--	12 x 12 x 10	10
EEC5020601--	15 x 15 x 10	10
EED5020601--	15 x 15 x 12	10
FFD5020601--	18 x 18 x 12	10
FFE5020601--	18 x 18 x 15	10



GGD5020601--	22 x 22 x 12	5
GGE5020601--	22 x 22 x 15	5
GGF5020601--	22 x 22 x 18	5
HHE5020601--	28 x 28 x 15	1
HHG5020601--	28 x 28 x 22	1
JJE5020601--	35 x 35 x 15	1
JJG5020601--	35 x 35 x 22	1
JJH5020601--	35 x 35 x 28	1
KKE5020601--	42 x 42 x 15	1
KKG5020601--	42 x 42 x 22	1

Note: all sizes are in mm unless otherwise stated

ITEM	SIZE	PACK QTY
KKH5020601--	42 x 42 x 28	1
KKJ5020601--	42 x 42 x 35	1
NNH2020601--	54 x 54 x 28	1
NNJ2020601--	54 x 54 x 35	1
NNK2020601--	54 x 54 x 42	1
QQH2020601--	67 x 67 x 28	1
QQN2020601--	67 x 67 x 54	1
RRH2020601--	76.1 x 76.1 x 28	1
RRN2020601--	76.1 x 76.1 x 54	1

601RE **S601RE:** Tee - Reduced End

Conex All Ends



ITEM	SIZE	PACK QTY
GEG1020601--	22 x 15 x 22	5
GFG1020601--	22 x 18 x 22	5
HEH1020601--	28 x 15 x 28	1

EDE5020601--	15 x 12 x 15	10
FEF5020601--	18 x 15 x 18	10
GEG5020601--	22 x 15 x 22	5
GH5020601--	28 x 22 x 28	1

Note: all sizes are in mm unless otherwise stated

Conex Compression

Brass, **DZR** and Red Brass 6mm - 108mm

601REB **S601REB**: Tee - Reduced End and Branch

Conex All Ends



ITEM	SIZE	PACK QTY
GEE1020601--	22 x 15 x 15	5
HEE1020601--	28 x 15 x 15	1

EDD5020601--	15 x 12 x 12	10
FEE5020601--	18 x 15 x 15	10
GEE5020601--	22 x 15 x 15	10
HGE5020601--	28 x 22 x 15	1
HGG5020601--	28 x 22 x 22	1

Note: all sizes are in mm unless otherwise stated

Brass, **DZR** and Red Brass 6mm - 108mm

601REE **S601REE:** Tee - Reduced Both Ends

Conex All Ends



ITEM	SIZE	PACK QTY
EEG1020601--	15 x15 x 22	10

DDE5020601--	12 x 12 x 15	10
EEG5020601--	15 x 15 x 22	10
GGH5020601--	22 x 22 x 28	1

S601C: Corner Tee

Conex All Ends



ITEM	SIZE	PACK QTY
EEE5020601C-	15	10
GGG5020601C-	22	10

Note: all sizes are in mm unless otherwise stated

Conex Compression

Brass, **DZR** and Red Brass 6mm - 108mm

S615: Tee with Male Branch

Conex x Conex x Male Thread (Parallel)



ITEM	SIZE	PACK QTY
EE35020615--	15 x 15 x 1/2"	10
GG35020615--	22 x 22 x 1/2"	5
GG45020615--	22 x 22 x 3/4"	5

617 S617: Tee with Female Branch

Conex x Conex x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
EE11020617--	15 x 15 x 1/4"	10
EE31020617--	15 x 15 x 1/2"	10
EE41020617--	15 x 15 x 3/4"	10
FF31020617--	18 x 18 x 1/2"	10
FF41020617--	18 x 18 x 3/4"	10
GG31020617--	22 x 22 x 1/2"	5
GG51020617--	22 x 22 x 1"	5
HH41020617--	28 x 28 x 3/4"	1

Note: all sizes are in mm unless otherwise stated

ITEM	SIZE	PACK QTY
DD25020617--	12 x 12 x 3/8"	10
DD35020617--	12 x 12 x 1/2"	10
EE35020617--	15 x 15 x 1/2"	10
GG35020617--	22 x 22 x 1/2"	5
GG45020617--	22 x 22 x 3/4"	5
HH35020617--	28 x 28 x 1/2"	1
HH55020617--	28 x 28 x 1"	1

S617W: Wall Plate Tee with Female Branch

Conex x Conex x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
EE35020617W-	15 x 15 x 1/2"	10
GG35020617W-	22 x 22 x 1/2"	10

Note: all sizes are in mm unless otherwise stated

Conex Compression

Brass, **DZR** and Red Brass 6mm - 108mm

631 **S631:** Tee with Male End

Conex x Male Thread (Parallel) x Conex



ITEM	SIZE	PACK QTY
G5G1020631--	22 x 1" x 22	5

E3E5020631--	15 x 1/2" x 15	10
G4G5020631--	22 x 3/4" x 22	5

645: Tee with Female Branch

Conex x Conex x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
33E1020645--	1/2" x 1/2" x 15	10

Note: all sizes are in mm unless otherwise stated

Conex Compression

Brass, **DZR** and Red Brass 6mm - 108mm

684 **S684:** Tee with Female End

Conex x Female Thread (Parallel) x Conex



ITEM	SIZE	PACK QTY
G3G1020684--	22 x 1/2" x 22	5
G4G1020684--	22 x 3/4" x 22	5

E3E5020684--	15 x 1/2" x 15	10
--------------	----------------	----

901: Cross - Equal

Conex All Ends




ITEM	SIZE	PACK QTY
EEEE1020901-	15	1
GGGG1020901-	22	1

Note: all sizes are in mm unless otherwise stated

ConEX Compression

Accessories for Compression Joints

S61: Blanking Piece



ITEM	SIZE	PACK QTY
D--5020061--	12	10
E--5020061--	15	10
G--5020061--	22	10

63: Capnut



ITEM	SIZE	PACK QTY
A--1020063--	6	10
B--1020063--	8	100
C--1020063--	10	100
D--1020063--	12	100
E--1020063--	15	50
F--1020063--	18	50
G--1020063--	22	50
H--1020063--	28	25
J--1020063--	35	10
K--1020063--	42	10
N--1020063--	54	5
Q--1020063--	67	1
R--1020063--	76	1

Note: all sizes are in mm unless otherwise stated

63B: Blank Cap




ITEM	SIZE	PACK QTY
B--1020063B-	8	10
C--1020063B-	10	10
D--1020063B-	12	10
E--1020063B-	15	10
G--1020063B-	22	10
H--1020063B-	28	10
J--1020063B-	35	10
K--1020063B-	42	10
N--1020063B-	54	5

supplied with rubber washer

Note: all sizes are in mm unless otherwise stated

63V: Air Vent for Compression End



ITEM	SIZE	PACK QTY
E--1020063V-	15	10

65: Compression Ring



ITEM	SIZE	PACK QTY
A--1020065--	6	100
B--1020065--	8	100
C--1020065--	10	100
D--1020065--	12	100
E--1020065--	15	100
F--1020065--	18	100
G--1020065--	22	100
H--1020065--	28	50
J--1020065--	35	10
K--1020065--	42	10
N--1020065--	54	10
Q--1020065--	67	1
R--1020065--	76	1
S--1020065--	108	1
04-1020065--	3/4"	100
05-1020065--	1"	50
06-1020065--	1.1/4"	10
30-1020065--	3"	1

Note: all sizes are in mm unless otherwise stated


Conex Compression

66: Running Nipple



Refer to code 8531

S68S: Internal Reducer Single Piece



ITEM	SIZE	PACK QTY
BA-5020068S-	8 x 6	10

Note: all sizes are in mm unless otherwise stated

S68:**Internal Reducer**

Three Piece



ITEM	SIZE	PACK QTY
CB-5020068--	10 x 8	1
DB-5020068--	12 x 8	10
DC-5020068--	12 x 10	10
EB-5020068--	15 x 8	10
EC-5020068--	15 x 10	10
ED-5020068--	15 x 12	10
FC-5020068--	18 x 10	10
FD-5020068--	18 x 12	10
FE-5020068--	18 x 15	10
GD-5020068--	22 x 12	10
GE-5020068--	22 x 15	10
GF-5020068--	22 x 18	10
HD-5020068--	28 x 12	10
HE-5020068--	28 x 15	10
HF-5020068--	28 x 18	10
HG-5020068--	28 x 22	10
JE-5020068--	35 x 15	1
JF-5020068--	35 x 18	1
JG-5020068--	35 x 22	1
JH-5020068--	35 x 28	1
KE-5020068--	42 x 15	1
KG-5020068--	42 x 22	1
KH-5020068--	42 x 28	1
KJ-5020068--	42 x 35	1
NE-5020068--	54 x 15	1
NG-5020068--	54 x 22	1
NH-5020068--	54 x 28	1
NJ-5020068--	54 x 35	1
NK-5020068--	54 x 42	1
QN-2020068--	67 x 54	1
RQ-2020068--	76 x 67	1

Note: all sizes are in mm unless otherwise stated

G68E: External Reducer



ITEM	SIZE	PACK QTY
RK-2020068E-	76 x 42	1
RN-2020068E-	76 x 54	1

S68S: Adaptor Metric/Imperial



ITEM	SIZE	PACK QTY
S405020068S-	108 - 4"	1

Note: all sizes are in mm unless otherwise stated

S68SP: Internal Reducer

Single Piece



ITEM	SIZE	PACK QTY
CB-5020M68SP	10 x 8	10
DB-5020M68SP	12 x 8	10
DC-5020M68SP	12 x 10	10
EB-5020068SP	15 x 8	10
EC-5020M68SP	15 x 10	10
ED-5020M68SP	15 x 12	10
FD-5020M68SP	18 x 12	10
FE-5020M68SP	18 x 15	10
GD-5020M68SP	22 x 12	10
GE-5020M68SP	22 x 15	10
GF-5020M68SP	22 x 18	10
HE-5020M68SP	28 x 15	10
HF-5020M68SP	28 x 18	10
HG-5020M68SP	28 x 22	10
JG-5020M68SP	35 x 22	1
JH-5020M68SP	35 x 28	1

72: Adaptor

Male Thread (Parallel) x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
03-1020072--	1/2"	10
04-1020072--	3/4"	10

Note: all sizes are in mm unless otherwise stated

73:**Adaptor**

Female Thread (Parallel) x Female Thread (Parallel)



Refer to code 8270

74:**Adaptor for Tap Extension**

Male Thread (Parallel) x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
04-1020074--	3/4"	10

Note: all sizes are in mm unless otherwise stated

C77: Backnut Conex Female Thread



ITEM	SIZE	PACK QTY
G--1020077C-	22	50
J--1020077C-	35	1
N--1020077C-	54	1

78: Flanged Plug Male Thread (Parallel)



Refer to code 8595

85: Capnut Spanner Zinc Plated Conex



ITEM	SIZE	PACK QTY
GE-9520085--	22 x 15	1

Note: all sizes are in mm unless otherwise stated

Conex Compression

85R: 'C' Capnut Spanner Zinc Plated

Conex




ITEM	SIZE	PACK QTY
GE-9020085R-	22 x 15	1

96: Brass Washer



ITEM	SIZE	PACK QTY
03-1020096--	1/2"	10
04-1020096--	3/4"	10
05-1020096--	1"	10

97: Sealing Washer




ITEM	SIZE	PACK QTY
03-9020097--	1/2"	100
04-9020097--	3/4"	100

For use with swivel fittings

Note: all sizes are in mm unless otherwise stated

98: Rubber Washer



ITEM	SIZE	PACK QTY
E--9020098--	15	50
G--9020098--	22	50
H--9020098--	28	50
J--9020098--	35	10
N--9020098--	54	10

For use with Catalogue No. 63B

Note: all sizes are in mm unless otherwise stated

45584: Manifold for 22mm Tube with Compression Outlets
4 Port Male Copper x Copper x Compression Outlet



ITEM	SIZE	PACK QTY
B--1045584--	8	2

45586: Manifold for 22mm Tube with Capillary Outlets 6 Port
Male Copper x Copper x Compression Outlet



ITEM	SIZE	PACK QTY
C--1045586--	10	1

45604: Manifold for 22mm Tube with Capillary Outlets 4 Port
Copper x Copper Outlet



ITEM	SIZE	PACK QTY
B--1045604--	8	10
C--1045604--	10	10

Note: all sizes are in mm unless otherwise stated

Conex Compression

Chrome Plated Compression Fittings (Type A)

301CP S301CP: Straight Coupler

Conex x Conex



ITEM	SIZE	PACK QTY
EE-1320301--	15	1
GG-1320301--	22	1
CC-5320301--	10	1
DC-5320301--	12 x 10	1
DD-5320301--	12	1
EE-5320301--	15	1
GG-5320301--	22	1
HH-5320301--	28	1
JJ-5320301--	35	1

302CP S302CP: Male Straight Connector

Conex x Male Thread (Parallel)



ITEM	SIZE	PACK QTY
E031320302--	15 x 1/2"	1
G041320302--	22 x 3/4"	1
E035320302--	15 x 1/2"	1
H055320302--	28 x 1"	1

Note: all sizes are in mm unless otherwise stated

303CP S303CP: Female Straight Connector

Conex x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
E031320303--	15 x 1/2"	1
G041320303--	22 x 3/4"	1
E035320303--	15 x 1/2"	1
G045320303--	22 x 3/4"	1
G055320303--	22 x 1"	1
H055320303--	28 x 1"	1

S303SFCP: Straight Tap Connector Max temp 60°C

Conex x Swivel Female Thread



ITEM	SIZE	PACK QTY
E035320303SF	15 x 1/2"	1
G045320303SF	22 x 3/4"	1

S323CP: Stop End

Conex



ITEM	SIZE	PACK QTY
E--5320323--	15	1
G--5320323--	22	1
H--5320323--	28	1

Note: all sizes are in mm unless otherwise stated

401CP S401CP: Elbow

Conex x Conex



ITEM	SIZE	PACK QTY
EE-1320401--	15	1
GG-1320401--	22	1
HH-1320401--	28	1
CC-5320401--	10	1
DD-5320401--	12	1
EE-5320401--	15	1
GG-5320401--	22	1
HH-5320401--	28	1
JJ-5320401--	35	1

402CP S402CP: Male Elbow

Conex x Male Thread (Parallel)



ITEM	SIZE	PACK QTY
E031320402--	15 x 1/2"	1
G045320402--	22 x 3/4"	1
H055320402--	28 x 1"	1

403CP S403CP: Female Elbow

Conex x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
E031320403--	15 x 1/2"	10
E035320403--	15 x 1/2"	1
G045320403--	22 x 3/4"	1

Note: all sizes are in mm unless otherwise stated

S403SFCP: Bent Tap Connector

Conex x Swivel Female Thread



ITEM	SIZE	PACK QTY
E035320403SF	15 x 1/2"	1

403WCP: Female Wall Plate Elbow (2 Hole)

Conex x Swivel Female Thread (Parallel)



ITEM	SIZE	PACK QTY
E031320403W-	15 x 1/2"	1

601EQCP S601EQCP: Tee - Equal

Conex all Ends



ITEM	SIZE	PACK QTY
EEE1320601EQ	15	1
GGG1320601EQ	22	1

Note: all sizes are in mm unless otherwise stated

601EQCP S601EQCP: Tee - Equal

Conex all Ends



ITEM	SIZE	PACK QTY
EEE1320601EQ	15	1
GGG1320601EQ	22	1
DDD5320601EQ	12	1
EEE5320601EQ	15	1
GGG5320601EQ	22	1
HHH1320601EQ	28	1
JJJ5320601EQ	35	1

Note: all sizes are in mm unless otherwise stated

601CP S601CP: Tee - Reduced

Conex all Ends



ITEM	SIZE	PACK QTY
GEE1320601--	22 x 15 x 15	1
GGE1320601--	22 x 22 x 15	1
HEH1320601--	28 x 15 x 28	1
GEE5320601--	22 x 15 x 15	1
GEG5320601--	22 x 15 x 22	1
GGE5320601--	22 x 22 x 15	1
HGH5320601--	28 x 22 x 28	1
HHE5320601--	28 x 28 x 15	1
HHG5320601--	28 x 28 x 22	1
JJE5320601--	35 x 35 x 15	1

617CP: Tee with Female Branch

Conex x Conex x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
EE31320617--	15 x 15 x 1/2"	1
EE35320617--	15 x 15 x 1/2"	1
GG45320617--	22 x 22 x 3/4"	1

Note: all sizes are in mm unless otherwise stated

S684CP: Tee with Female End

Conex x Conex x Female Thread (Parallel) x Conex



ITEM	SIZE	PACK QTY
E3E5320684--	15 x 1/2" x 15	1

63CP: Capnut

Conex x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
E--1320063--	15	1
G--1320063--	22	1
J--1320063--	35	1

S68CP: Internal Reducer

Three Piece



ITEM	SIZE	PACK QTY
GE-5320068--	22 x 15	1
HE-5320068--	28 x 15	1
HG-5320068--	28 x 22	1
JG-5320068--	35 x 22	1
JH-5320068--	35 x 28	1

Note: all sizes are in mm unless otherwise stated

Conex

Compression

Compression Fittings Range - Wastes



Conex Compression

Captive Swivel Plug Brass Wastes

140S: Basin Waste - Slotted



ITEM	SIZE	PACK QTY
06S12D0140--	1.1/4" x 3.1/2" x 2.3/8"	1

140U: Basin Waste - Unslotted



ITEM	SIZE	PACK QTY
06U12D0140--	1.1/4" x 3.1/2" x 2.3/8"	1

151: Combination Bath Waste and Overflow - with Plated Brass Waste and Plated Brass Overflow Face



ITEM	SIZE	PACK QTY
07U12D0151--	1.1/2" x 3" x 2.3/4"	1

Note: all sizes are in mm unless otherwise stated

153: Bath Waste - Unslotted



ITEM	SIZE	PACK QTY
07U12D0153--	1.1/2" x 1.1/2" x 2.3/4"	1

155: Combination Vanity Basin Waste and Overflow - with Plated Brass Waste and Plated Brass Overflow Face



ITEM	SIZE	PACK QTY
06S12D0155--	1.1/4" x 3.1/2" x 2.3/8"	1

Note: all sizes are in mm unless otherwise stated

Conex Compression

Tubular Copper Traps

P211 P211PCP: Deep Seal P

Swivel Female Thread x Conex



ITEM	SIZE	PACK QTY
06J30P2211D-	1.1/4" x 35	1
07K30P2211D-	1.1/2" x 42	1
08N30P2211D-	2" x 54	1

06J32P2211D-	1.1/4" x 35	1
07K32P2211D-	1.1/2" x 42	1
08N32P2211D-	2" x 54	1

Note: all sizes are in mm unless otherwise stated

S211 S211PCP: Deep Seal S

Swivel Female Thread x Conex




ITEM	SIZE	PACK QTY
06J30S2211D-	1.1/4" x 35	1
07K30S2211D-	1.1/2" x 42	1
08N30S2211D-	2" x 54	1
06J32S2211D-	1.1/4" x 35	1
07K32P2211D-	1.1/2" x 42	1
08N32S2211D-	2" x 54	1

P314:

Running P

Conex x Conex



ITEM	SIZE	PACK QTY
JJ-30P2314R-	1.1/4" x 35	1
KK-30P2314R-	1.1/2" x 42	1
NN-30P2314R-	2" x 54	1
JJ-32P2314R-	1.1/4" x 35	1
KK-32P2314R-	1.1/2" x 42	1
NN-32P2314R-	2" x 54	1

Note: all sizes are in mm unless otherwise stated

Conex Compression

Bottle Traps

160C 160CCP: Fixed Inlet - Fabricated

Swivel Female Thread x Conex



ITEM	SIZE	PACK QTY
07K3000160--	42 x 1.1/2"	1



06J3200160--	35 x 1.1/4"	1
07K3200160--	42 x 1.1/2"	1

16030: Chrome Plated Brass with Adjustable Inlet

Swivel Female Thread x Conex



ITEM	SIZE	PACK QTY
06-120016030	1.1/4" x 35	1
07-120016030	1.1/2" x 42	1

Note: all sizes are in mm unless otherwise stated

Conex Compression

Waste Fittings

W301 W301PCP: Straight Coupler

Conex x Conex



ITEM	SIZE	PACK QTY
JJ-1022301--	35	1
KK-1022301--	42	1
NN-1022301--	54	1

JJ-1222301--	35	1
KK-1222301--	42	1
NN-1222301--	54	1

Note: all sizes are in mm unless otherwise stated

401F 401FPCP:

Elbow - Fabricated

Conex x Conex



ITEM	SIZE	PACK QTY
JJ-3022401F-	35	1
KK-3022401F-	42	1
NN-3022401F-	54	1

JJ-3222401F-	35	1
KK-3222401F-	42	1
NN-3222401F-	54	1

Note: all sizes are in mm unless otherwise stated

W401/OF W401/OFPCP: Obtuse Elbow - Fabricated

Conex x Conex



ITEM	SIZE	PACK QTY
JJ-30224010F	35	1
KK-30224010F	42	1
NN-30224010F	54	1



ITEM	SIZE	PACK QTY
JJ-32224010F	35	1
KK-32224010F	42	1
NN-32224010F	54	1

W432:

Bent Tail Pipe Extended - 406mm (16")

Long Fabricated Swivel Female Thread x Plain Tail



ITEM	SIZE	PACK QTY
066302243216	1.1/2" x 35	1
077302243216	1.1/2" x 42	1

Note: all sizes are in mm unless otherwise stated

W601S WA601S W601SPCP: Sweep Tee

Conex All Ends



ITEM	SIZE	PACK QTY
JJJ1022601S-	35	1
KKJ1022601S-	42 x 42 x 35	1
KKK1022601S-	42	1
NNJ1022601S-	54 x 54 x 35	1
NNK1022601S-	54 x 54 x 42	1
NNN1022601S-	54	1
JJJ1322601S-	35	1
KKJ1322601S-	42 x 42 x 35	1
KKK1322601S-	42	1
NNJ1322601S-	54 x 54 x 35	1
NNK1322601S-	54 x 54 x 42	1
NNN1322601S-	54	1

Accessories

W63B W63BPCP: Blank Capnut



ITEM	SIZE	PACK QTY
J--1022063B-	35	10
K--1022063B-	42	1
N--1022063B-	54	1
J--1222063B-	35	1
K--1222063B-	42	1
N--1222063B-	54	1

Supplied with a rubber washer

Note: all sizes are in mm unless otherwise stated

W65: Brass Compression Ring



ITEM	SIZE	PACK QTY
J--1022065--	35	10
K--1022065--	42	1
N--1022065--	54	1

For use with W301, W302 and W303

W68 W68PCP: Internal Reducer

Three Piece



ITEM	SIZE	PACK QTY
KJ-1022068--	42 x 35	10
NJ-1022068--	54 x 35	1
NK-1022068--	54 x 42	1

W68 W68PCP: Internal Reducer

Three Piece



ITEM	SIZE	PACK QTY
KJ-1222068--	42 x 35	1
NJ-1222068--	54 x 35	1
NK-1222068--	54 x 42	1

Note: all sizes are in mm unless otherwise stated

Conex Isoconex Range



Conex Isoconex

For use with MDPE, PB and PE-X Tube

S301: Straight Coupler

Poly x Poly



ITEM	SIZE	PACK QTY
VV-5031301--	20	10
WW-5031301--	32	10

S301: Straight Coupler

Old Poly x New Poly



ITEM	SIZE	PACK QTY
V035031301--	20 x 1/2"	10
M045031301--	25 x 3/4"	5

S301: Reduced Straight Coupler

Poly x Conex



ITEM	SIZE	PACK QTY
VE-5031301	20 x 15	10
MG-5031301--	25 x 22	10

Note: all sizes are in mm unless otherwise stated

S303: Female Straight Connector

Conex x Conex



ITEM	SIZE	PACK QTY
V045031303--	20 x 3/4"	10
M045031303--	25 x 3/4"	5

S323: Stop End

Poly



ITEM	SIZE	PACK QTY
M--5031323	25	5

S401: Elbow

Poly x Poly



ITEM	SIZE	PACK QTY
MM--5031401--	25	10
WW-5031401--	32	5

Note: all sizes are in mm unless otherwise stated

S403: Female Elbow

Poly x Female Threaded (Parallel)



ITEM	SIZE	PACK QTY
V035031403--	20 x 1/2"	10

S403W: Female Wall Plate Elbow (3 Hole)

Poly x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
V03503140W--	20 x 1/2"	10

S601EQ: Tee - Equal

Poly All Ends



ITEM	SIZE	PACK QTY
VW5031601EQ--	20	5

Note: all sizes are in mm unless otherwise stated

S617EQ: Tee - With Female Branch
Poly x Poly x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
VV35031617--	20 x 20 x 1/2"	5

Note: all sizes are in mm unless otherwise stated

PY: MDPE Liner



ITEM	SIZE	PACK QTY
M263031000PY	25	50
V263031000PY	32	20

SC1: Soft Copper Liner



ITEM	SIZE	PACK QTY
C103031000SC	10	100
E103031000SC	15	100
F103031000SC	18	100
G103031000SC	22	50

WP2/10: PE-X Insert



ITEM	SIZE	PACK QTY
V281031WP210	20 x 2.8	1

Note: all sizes are in mm unless otherwise stated

65: Polyring



ITEM	SIZE	PACK QTY
V--3031065--	20	10
M--3031065--	25	10
W--3031065--	32	5

S68: Internal Reducer

Three Piece



ITEM	SIZE	PACK QTY
WM-5031068--	32 x 25	10

SP68: Adaptor

Poly x Male Copper



ITEM	SIZE	PACK QTY
VE-5031068P-	20 x 15	10
ME-5031068P-	25 x 15	10
WH-5031068P-	32 x 28	5

Note: all sizes are in mm unless otherwise stated

50: Adaptor Sleeve

Copper Poly



ITEM	SIZE	PACK QTY
03-3020050--	1/2"	50
04-3020050--	3/4"	10

51: Ring

Copper Poly



ITEM	SIZE	PACK QTY
03-3020051--	1/2"	100
04-3020051--	3/4"	100
05-3020051--	1"	100

Note: all sizes are in mm unless otherwise stated

BL: Class 'C' Insert
BS1972/67



ITEM	SIZE	PACK QTY
03-3020000BL	1/2"	50
04-3020000BL	3/4"	50

Note: all sizes are in mm unless otherwise stated

Conex

Series 3000

Conex Series 3000 Range



Conex Series 3000

Conex Series 3000 is a range of red brass threaded fittings available in size 1/4-2". Fittings are manufactured to DIN 2950 (a standard relating to the manufacture of malleable iron fittings) and threaded to DIN 2999 (ISO7).

Conex Series 3000

Hydraulic working temperatures and pressures are shown below:

Conex 3000		
Size (inches)	Working pressure (bar)	
	-20° to 120°C	>120 to 225°C
1/4" to 3/4"	25	16
1 to 2	16	10
2 to 4	10	6

Maximum Working Temperatures and Pressures for Water/Glycol Applications

Conex Series 3000

Brass Threaded Fittings

3090: Female Elbow

Female Thread x Female Thread



ITEM	SIZE	PACK QTY
3090 002000000	1/4"	10
3090 003000000	3/8"	10
3090 004000000	1/2"	10
3090 006000000	3/4"	10
3090 008000000	1"	5
3090 010000000	1.1/4"	1
3090 012000000	1.1/2"	1
3090 016000000	2"	1

3090: Reduced Female Elbow

Female Thread x Female Thread



ITEM	SIZE	PACK QTY
3090 006004000	3/4" x 1/2"	10
3090 008006000	1" x 3/4"	10

Note: all sizes are in mm unless otherwise stated

Conex Series 3000

3092: Male x Female Elbow

Male Thread x Female Thread



ITEM	SIZE	PACK QTY
3092 002000000	1/4"	10
3092 003000000	3/8"	10
3092 004000000	1/2"	10
3092 006000000	3/4"	10
3092 008000000	1"	5
3092 010000000	1.1/4"	1
3092 012000000	1.1/2"	1
3092 016000000	2"	1

3098: Union Elbow

Female Thread x Male Thread



ITEM	SIZE	PACK QTY
3098 003000000	3/8"	10
3098 004000000	1/2"	10
3098 006000000	3/4"	10
3098 008000000	1"	1

Note: all sizes are in mm unless otherwise stated

ConEX Series 3000

3121: Obtuse Elbow

Male Thread x Female Thread



ITEM	SIZE	PACK QTY
3121 003000000	3/8"	10
3121 004000000	1/2"	10
3121 006000000	3/4"	10
3121 008000000	1"	10
3121 010000000	1.1/4"	1
3121 012000000	1.1/2"	1

3130EQ: Tee - Equal

Female Thread All Ends



ITEM	SIZE	PACK QTY
3130 002002002	1/4"	10
3130 003003003	3/8"	10
3130 004004004	1/2"	10
3130 006006006	3/4"	5
3130 008008008	1"	1
3130 010010010	1.1/4"	1
3130 012012012	1.1/2"	1
3130 016016016	2"	1

Note: all sizes are in mm unless otherwise stated

Conex Series 3000

3180: Cross - Equal

Female All Ends



ITEM	SIZE	PACK QTY
3180 004000000	1/2"	10
3180 006000000	3/4"	10

3240: Reduced Straight Coupler

Female Thread x Female Thread



ITEM	SIZE	PACK QTY
3240 003002000	3/8" x 1/4"	10
3240 004003000	1/2" x 3/8"	10
3240 006004000	3/4" x 1/2"	10
3240 008004000	1" x 1/2"	10
3240 008006000	1" x 3/4"	10
3240 010006000	1.1/4" x 3/4"	1
3240 010008000	1.1/4" x 1	1
3240 012008000	1.1/2" x 1	1
3240 012010000	1.1/2" x 1.1/4"	1
3240 016012000	2" x 1.1/2"	1

Note: all sizes are in mm unless otherwise stated

3241:

Reduced Bush

Male Thread x Female Thread



ITEM	SIZE	PACK QTY
3241 003002000	3/8" x 1/4"	10
3241 004002000	1/2" x 1/4"	10
3241 004003000	1/2" x 3/8"	10
3241 006002000	3/4" x 1/4"	10
3241 006003000	3/4" x 3/8"	10
3241 006004000	3/4" x 1/2"	10
3241 008003000	1" x 3/8"	10
3241 008004000	1" x 1/2"	10
3241 008006000	1" x 3/4"	10
3241 010004000	1.1/4" x 1/2"	1
3241 010006000	1.1/4" x 3/4"	1
3241 010008000	1.1/4" x 1"	1
3241 012004000	1.1/2" x 1/2"	1
3241 012006000	1.1/2" x 3/4"	1
3241 012008000	1.1/2" x 1"	1
3241 012010000	1.1/2" x 1.1/4"	1
3241 016004000	2" x 1/2"	1
3241 016006000	2" x 3/4"	1
3241 016008000	2" x 1"	1
3241 016010000	2" x 1.1/4"	1
3241 016012000	2" x 1.1/2"	1
3241 020016000	2.1/2" x 2"	1
3241 024016000	3" x 2"	1

Note: all sizes are in mm unless otherwise stated

3245: Reduced Hexagon Nipple

Male Thread x Male Thread



ITEM	SIZE	PACK QTY
3245 004003000	1/2" x 3/8"	10
3245 006004000	3/4" x 1/2"	10
3245 008006000	1" x 3/4"	10
3245 010008000	1.1/4" x 1"	1

3270: Straight Coupler

Female Thread x Female Thread



ITEM	SIZE	PACK QTY
3270 002000000	1/4"	10
3270 003000000	3/8"	10
3270 004000000	1/2"	10
3270 006000000	3/4"	10
3270 008000000	1"	10
3270 010000000	1.1/4"	5
3270 012000000	1.1/2"	1
3270 016000000	2"	1
3270 020000000	2.1/2"	1

Note: all sizes are in mm unless otherwise stated

ConEX Series 3000

3280: Hexagon Nipple

Male Thread x Male Thread



ITEM	SIZE	PACK QTY
3280 002000000	1/4"	25
3280 003000000	3/8"	10
3280 004000000	1/2"	10
3280 006000000	3/4"	10
3280 008000000	1"	10
3280 010000000	1.1/4"	1
3280 012000000	1.1/2"	1
3280 016000000	2"	1
3280 020000000	2.1/2"	1

3290: Beaded Plug

Male Thread



ITEM	SIZE	PACK QTY
3290 002000000	1/4"	10
3290 003000000	3/8"	10
3290 004000000	1/2"	10
3290 006000000	3/4"	10
3290 008000000	1"	10
3290 010000000	1.1/4"	1
3290 012000000	1.1/2"	1
3290 016000000	2"	1

Note: all sizes are in mm unless otherwise stated

Conex Series 3000

3291: Plain Plug Male Thread



ITEM	SIZE	PACK QTY
3291 002000000	1/4"	10
3291 003000000	3/8"	10
3291 004000000	1/2"	10
3291 006000000	3/4"	10
3291 008000000	1"	10
3291 010000000	1.1/4"	1
3291 012000000	1.1/2"	1
3291 016000000	2"	1
3291 020000000	2.1/2"	1

3301: Blank Cap Female Thread



ITEM	SIZE	PACK QTY
3301 004000000	1/2"	10
3301 006000000	3/4"	10
3301 008000000	1"	10
3301 010000000	1.1/4"	1
3301 012000000	1.1/2"	1
3301 016000000	2"	1

Note: all sizes are in mm unless otherwise stated

ConEX Series 3000

3310: Brass Locknut Female Thread



ITEM	SIZE	PACK QTY
3310 002000000	1/4"	10
3310 004000000	1/2"	10
3310 006000000	3/4"	10
3310 008000000	1"	10
3310 010000000	1.1/4"	1
3310 012000000	1.1/2"	1
3310 016000000	2"	1

3330: Female Straight Union Coupler (Flat Joint) Female Thread x Female Thread



ITEM	SIZE	PACK QTY
3330R010000000	1.1/4"	1

3331: Male x Female Straight Union Connector (Flat Joint) Male Thread x Female Thread



ITEM	SIZE	PACK QTY
3331 004000000	1/2"	10
3331 008000000	1"	1
3331 010000000	1.1/4"	1
3331R012000000	1.1/2"	1

Note: all sizes are in mm unless otherwise stated

Conex Series 3000

3340: Female Straight Union Coupler (Coned Joint)

Female Thread x Female Thread



ITEM	SIZE	PACK QTY
3340 002000000	1/4"	10
3340 004000000	1/2"	10
3340 006000000	3/4"	10
3340 008000000	1"	1
3340R010000000	1.1/4"	1
3340R012000000	1.1/2"	1
3340R016000000	2"	1

3341: Male x Female Straight Union Connector (Coned Joint)

Male Thread x Female Thread



ITEM	SIZE	PACK QTY
3341 004000000	1/2"	25
3341 006000000	3/4"	10
3341 008000000	1"	10
3341 010000000	1.1/4"	1
3341R012000000	1.1/2"	1
3341R016000000	2"	1

Note: all sizes are in mm unless otherwise stated

3471: Female Wall Plate Elbow

Female Thread x Female Thread



ITEM	SIZE	PACK QTY
3471 004000000	1/2"	10

3526: Extension Piece

Female Thread x Female Thread



ITEM	SIZE	PACK QTY
3526 004030000	1/2" x 30	10
3526 004040000	1/2" x 40	10
3526 004050000	1/2" x 50	3
3526 004060000	1/2" x 60	10
3526 004080000	1/2" x 80	10
3526 006040000	3/4" x 40	10
3526 006060000	3/4" x 60	10
3526 006080000	3/4" x 80	10
3526 008060000	1" x 60	10

Note: all sizes are in mm unless otherwise stated

Conex Series 3000

3531: Copper Running Nipple

Male Thread (Parallel)



ITEM	SIZE	PACK QTY
3531 004000000	1/2"	10

3533: Barrel Nipple

Male Thread x Male Thread



ITEM	SIZE	PACK QTY
3533 004000000	1/2"	10
3533 008000000	1"	1
3533 010000000	1.1/4"	5
3533 012000000	1.1/2"	1

3588: Brass Recessed Plug

Male Thread (Parallel)



ITEM	SIZE	PACK QTY
3588 004000000	1/2"	10
3588 008000000	1"	1

Note: all sizes are in mm unless otherwise stated

Conex

Series 8000

Conex Series 8000 Range



Conex Series 8000

Conex Series 8000 are yellow brass threaded fittings available in sizes 1/8-2". They are manufactured according to DIN 17 660 and ISO 1338 and 476. This material has been thermally stress-tested and contains approximately 85% copper.

Hydraulic working temperatures and pressures are show below:

Conex 8000		
Size (inches)	Working pressure (bar)	
	-20° to 120°C	>120 to 225°C
1/4" to 3/4"	25	16
1 to 2	16	10
2 to 4	10	6

Maximum Working Temperatures and Pressures for Water/Glycol Applications

Conex Series 8000

Brass Threaded Fittings

8595: Brass Plug Male Thread (Parallel)



ITEM	SIZE	PACK QTY
8595 002000000	1/4"	10
8595 003000000	3/8"	10
8595 004000000	1/2"	10
8595 006000000	3/4"	10
8595 008000000	1"	10
8595 010000000	1.1/4"	1
8595 012000000	1.1/2"	1
8595 016000000	2"	10

8599: Brass Hexagon Cap Female Thread x Female Thread



ITEM	SIZE	PACK QTY
8599 003000000	3/8"	10
8599 004000000	1/2"	10
8599 006000000	3/4"	10
8599 008000000	1"	10
8599 010000000	1.1/4"	10
8599 012000000	1.1/2"	1
8599 016000000	2"	1

Note: all sizes are in mm unless otherwise stated

8090: Female Elbow

Female Thread x Female Thread



ITEM	SIZE	PACK QTY
8090 002000000	1/4"	10
8090 003000000	3/8"	10
8090 004000000	1/2"	10
8090 006000000	3/4"	10

8092: Male x Female Elbow

Male Thread x Female Thread



ITEM	SIZE	PACK QTY
8092 003000000	3/8"	10
8092 004000000	1/2"	10
8092 008000000	1"	5

8130: Tee - Equal

Female Thread All Ends



ITEM	SIZE	PACK QTY
8130 002002002	1/4"	10
8130 004004004	1/2"	10
8130 006006006	3/4"	5
8130 008008008	1"	5

Note: all sizes are in mm unless otherwise stated

8241: Reduced Bush

Male Thread x Female Thread



ITEM	SIZE	PACK QTY
8241 003002000	3/8" x 1/4"	10
8241 004001000	1/2" x 1/8"	10
8241 004002000	1/2" x 1/4"	10
8241 004003000	1/2" x 3/8"	10
8241 006002000	3/4" x 1/4"	10
8241 006003000	3/4" x 3/8"	10
8241 006004000	3/4" x 1/2"	10
8241 008003000	1" x 3/8"	10
8241 008004000	1" x 1/2"	10
8241 008006000	1" x 3/4"	10
8241 010004000	1.1/4" x 1/2"	1
8241 010006000	1.1/4" x 3/4"	1
8241 010008000	1.1/4" x 1"	5
8241 012004000	1.1/2" x 1/2"	1
8241 012006000	1.1/2" x 3/4"	1
8241 012008000	1.1/2" x 1"	1
8241 012010000	1.1/2" x 1.1/4"	1
8241 016008000	2" x 1"	1
8241 016010000	2" x 1.1/4"	1
8241 016012000	2" x 1.1/2"	1

Replaces Catalogue No. 67

Note: all sizes are in mm unless otherwise stated

8270: Straight Coupler

Female Thread x Female Thread




ITEM	SIZE	PACK QTY
8270 002000000	1/4"	10
8270 003000000	3/8"	10
8270 004000000	1/2"	10
8270 006000000	3/4"	10
8270 008000000	1"	10
8270 010000000	1.1/4"	5
8270 012000000	1.1/2"	1
8270 016000000	2"	1

Replaces Catalogue No. 73

8280: Hexagon Nipple

Male Thread x Male Thread



ITEM	SIZE	PACK QTY
8280 001000000	1/8"	10
8280 002000000	1/4"	10
8280 003000000	3/8"	10
8280 004000000	1/2"	10
8280 006000000	3/4"	10
8280 008000000	1"	10
8280 010000000	1.1/4"	1
8280 012000000	1.1/2"	1
8280 016000000	2"	1

Note: all sizes are in mm unless otherwise stated

8310: Flanged Backnut



ITEM	SIZE	PACK QTY
8310F004000000	1/2"	10
8310F006000000	3/4"	10
8310F008000000	1"	10
8310F010000000	1.1/4"	10
8310F012000000	1.1/2"	10
8310F016000000	2"	1

8530: Barrel Nipple

Male Thread x Male Thread x Length (mm)



ITEM	SIZE	PACK QTY
8530 003040000	3/8" x 40	10
8530 004030000	1/2" x 30	10
8530 006040000	3/4" x 40	10
8530 008040000	1" x 40	1
8530 010060000	1.1/4" x 60	1
8530 012060000	1.1/2" x 60	1
8530 016100000	2" x 100	1

Note: all sizes are in mm unless otherwise stated

8531: Running Nipple

Male Thread (Parallel)



ITEM	SIZE	PACK QTY
8531 002000000	1/4"	10
8531 003000000	3/8"	10
8531 004000000	1/2"	10
8531 006000000	3/4"	10

Replaces Catalogue No. 66

8599: Blank Cap

Female Thread



ITEM	SIZE	PACK QTY
8599 003000000	3/8"	10
8599 004000000	1/2"	10
8599 006000000	3/4"	10
8599 008000000	1"	10
8599 010000000	1.1/4"	10
8599 012000000	1.1/2"	1
8599 016000000	2"	1

Note: all sizes are in mm unless otherwise stated

Conex

Delcop End Feed

Conex Delcop End Feed Range



Conex Delcop End Feed

Conex Delcop End Feed capillary fittings are available in sizes 6-54mm and are suitable for connecting copper tubes in accordance with EN 1057 (formerly BS 2871: Part 1) and many other standards including ISO 274.

Delcop End Feed fittings are primarily designed for solder applications but, with the exception of Union fittings with copper tails, may also be brazed. For sizes above 54mm please refer to the section on Conex Delbraze and Conex Clyde ranges.

Most fittings in the range are manufactured from Copper or Red Brass thereby being immune to dezincification.

Hydraulic working temperatures and pressures based on EN 1254-1 are shown below:

Conex Delcop End Feed fittings – Soldered

Conex Delcop End Feed (soft solder alloys)				
Size (mm)	Working pressure (bar)			
	0° to 30°C	65°C	95°C	110°C
6 -54	25	25	19	16

Maximum Working Temperatures and Pressures

Conex Delcop End Feed

Conex Delcop End Feed fittings – Brazed

Conex Delcop End Feed fittings (Silver brazing)			
Size (mm)	Working pressure (bar)		
	-20° to 110°C	150°C	200°C
6	79.1	67.3	35.6
8	57.9	49.2	26.1
10	45.7	38.8	20.5
12	37.7	32.0	17.0
15	35.1	29.8	15.8
18	33.3	28.3	15.0
22	30.6	26.0	13.8
28	23.8	20.3	10.7
35	21.1	17.9	9.5
42	19.3	16.4	8.7
54	16.3	13.9	7.3

Maximum Working Temperatures and Pressures for Water/Glycol Applications

END FEED ASSEMBLY INSTRUCTIONS:

Tools required:

Tube cutter, deburring tool, blowlamp, abrasive cloth, wire brush, lead free solder, flux.




Assembly

- Ensure the copper tube and fitting sizes are compatible. Cut the tube end square, and ensure it retains its shape.
- Deburr the tube, both inside and outside.
- Clean tube with an abrasive cloth, and fitting socket with a wire brush.
- Apply a thin layer of flux to the tube, and to the fitting socket.
- Insert the tube into the fitting until the tube stop is reached. Rotate the tube or fitting and remove any excess flux where possible.
- Light the blowlamp, and heat the fitting socket until the flux starts to boil. Keep the flame moving over the fitting and tube, do not provide excessive heat or additional solder.
- Apply lead free solder to the tube-fitting interface until it fills the void.
- As a rule of thumb, a length of solder equivalent to the tube diameter will be adequate for a satisfactory joint.
- Remove the blowlamp, allow to cool and wipe the joint(s) with a damp cloth.
- Flush all residues out of the system.

Demounting

- This fitting system is not demountable.


Conex Delcop End Feed



Conex Delcop End Feed

End Feed Capillary Fittings

DC600: Slip Coupler Copper x Copper



ITEM	SIZE	PACK QTY
5270S015000000	15	10
5270S022000000	22	10
5270S028000000	28	10
5270S035000000	35	1
5270S042000000	42	1
5270S054000000	54	1

DC601: Straight Coupler Copper x Copper



ITEM	SIZE	PACK QTY
5270 006000000	6	10
5270 008000000	8	10
5270 010000000	10	10
5270 012000000	12	10
5270 015000000	15	25
5270 0220000005	22	25
5270 028000000	28	10
5270 035000000	35	1
5270 042000000	42	1
5270 054000000	54	1

Note: all sizes are in mm unless otherwise stated

DC601R: Reduced Straight Coupler

Copper x Copper



ITEM	SIZE	PACK QTY
5240 008006000	8 x 6	10
5240 010008000	10 x 8	10
5240 015008000	15 x 8	10
5240 015010000	15 x 10	10
5240 015012000	15 x 12	10
5240 022015000	22 x 15	10
5240 028015000	28 x 15	10
5240 028022000	28 x 22	10
5240 035015000	35 x 15	1
5240 035022000	35 x 22	1
5240 035028000	35 x 28	1
5240 042022000	42 x 22	1
5240 042028000	42 x 28	1
5240 042035000	42 x 35	1
5240 054015000	54 x 15	1
5240 054022000	54 x 22	1
5240 054028000	54 x 28	1
5240 054035000	54 x 35	1
5240 054042000	54 x 42	1

Note: all sizes are in mm unless otherwise stated

DC6012: Fitting Reducer

Male Copper x Copper



ITEM	SIZE	PACK QTY
5243 008006000	8 x 6	10
5243 010006000	10 x 6	10
5243 010008000	10 x 8	10
5243 012008000	12 x 8	10
5243 015008000	15 x 8	10
5243 015010000	15 x 10	10
5243 015012000	15 x 12	10
5243 0220150005	22 x 15	25
5243 028015000	28 x 15	10
5243 028022000	28 x 22	10
5243 035015000	35 x 15	1
5243 035022000	35 x 22	1
5243 035028000	35 x 28	1
5243 042015000	42 x 15	1
5243 042022000	42 x 22	1
5243 042028000	42 x 28	1
5243 042035000	42 x 35	1
5243 054015000	54 x 15	1
5243 054022000	54 x 22	1
5243 054028000	54 x 28	1
5243 054035000	54 x 35	1
5243 054042000	54 x 42	1

Note: all sizes are in mm unless otherwise stated

DC6012L: Fitting Reducer (Long)

Male Copper x Copper



ITEM	SIZE	PACK QTY
5243L015008000	15 x 8	10
5243L015010000	15 x 10	10

DC6011M: Imperial to Metric Straight Coupler

Copper (Metric) x Copper (Imperial)



ITEM	SIZE	PACK QTY
5241 015004000	1/2" x 15	10
5241 022006000	3/4" x 22	10
5241 028008000	1" x 28	10

DC6012IM: Imperial to Metric Adaptor

Male Copper (Metric) x Copper (Imperial)



ITEM	SIZE	PACK QTY
5242 015004000	1/2" x 15	10
5242 022006000	3/4" x 22	25
5242 028008000	1" x 28	10
5242 035010000	1.1/4" x 35	1

Note: all sizes are in mm unless otherwise stated

Conex Delcop End Feed

DC601TC: Straight Tap Connector

Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
5240G015004000	15 x 1/2"	10
5240G015006000	15 x 3/4"	10
5240G022006000	22 x 3/4"	10

Supplied with a sealing washer

DC603: Female Straight Connector

Copper x Female Thread (Parallel)



Refer to code DC703

DC604: Male Straight Connector

Copper x Male Thread (Taper)



Refer to code DC704

Note: all sizes are in mm unless otherwise stated

DC606: Obtuse Elbow

Copper x Copper



ITEM	SIZE	PACK QTY
5041 015000000	15	25
5041 022000000	22	10
5041 028000000	28	10
5041 035000000	35	1
5041 042000000	42	1
5041 054000000	54	1

DC6062: Obtuse Street Elbow

Male Copper x Copper



ITEM	SIZE	PACK QTY
5040 015000000	15	25
5040 022000000	22	10
5040 028000000	28	10
5040 035000000	35	1
5040 042000000	42	1
5040 054000000	54	1

Note: all sizes are in mm unless otherwise stated

Conex Delcop End Feed

DC607: Elbow

Copper x Copper



ITEM	SIZE	PACK QTY
5090 006000000	6	10
5090 008000000	8	10
5090 010000000	10	10
5090 012000000	12	10
5090 015000000	15	25
5090 0220000005	22	25
5090 028000000	28	10
5090 035000000	35	1
5090 042000000	42	1
5090 054000000	54	1

DC607R: Reduced Elbow

Copper x Copper



ITEM	SIZE	PACK QTY
5090 022015000	22 x 15	10
5090 028022000	28 x 22	10

Note: all sizes are in mm unless otherwise stated

Conex Delcop End Feed

DC607LT: Slow Elbow

Copper x Copper



ITEM	SIZE	PACK QTY
5002A010000000	10	10
5002A012000000	12	10
5002A015000000	15	25
5002A022000000	22	10
5002A028000000	28	10
5002A035000000	35	1
5002A042000000	42	1
5002A054000000	54	1

DC6072: Street Elbow

Male Copper x Copper



ITEM	SIZE	PACK QTY
5092 010000000	10	10
5092 012000000	12	10
5092 015000000	15	25
5092 022000000	22	25
5092 028000000	28	10
5092 035000000	35	1
5092 042000000	42	1
5092 054000000	54	1

Note: all sizes are in mm unless otherwise stated

DC6072LT: Street Bend

Male Copper x Copper



ITEM	SIZE	PACK QTY
5001A015000000	15	25
5001A022000000	22	10
5001A028000000	28	10

DC607TC: Bent Tap Connector

Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
5002G015004000	15 x 1/2"	10
5002G015006000	15 x 3/4"	10
5002G022006000	22 x 3/4"	10

Supplied with a sealing washer

DC60763: Female Bent Union Connector (Copper Tail)

Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
DC60763281	28 x 1"	1

Note: all sizes are in mm unless otherwise stated

DC60764: Male Bent Union Connector (Copper Tail)

Copper x Male Thread (Taper)



ITEM	SIZE	PACK QTY
DC60764221	22 x 1"	10
DC60764223/4	22 x 3/4"	10
DC60764281	28 x 1"	10

DC6076AB: Female Bent Union Connector (Spigot)

Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
4096A022008000	22 x 1"	10

DC6076UA: Bent Cylinder Union (Cone)

Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
4096C022008000	22 x 1"	10

Note: all sizes are in mm unless otherwise stated

DC611: Tee - Equal

Copper All Ends



ITEM	SIZE	PACK QTY
5130 006006006	6	10
5130 008008008	8	10
5130 010010010	10	10
5130 012012012	12	10
5130 015015015	15	25
5130 0220220225	22	25
5130 028028028	28	10
5130 035035035	35	1
5130 042042042	42	1
5130 054054054	54	1

Note: all sizes are in mm unless otherwise stated

Conex Delcop End Feed

DC611RB: Tee - Reduced Branch

Copper All Ends



ITEM	SIZE	PACK QTY
5130 015010015	15 x 15 x 10	10
5130 015012015	15 x 15 x 12	10
5130 022010022	22 x 22 x 10	10
5130 022012022	22 x 22 x 12	30
5130 0220150225	22 x 22 x 15	25
5130 028015028	28 x 28 x 15	10
5130 028022028	28 x 28 x 22	10
5130 035015035	35 x 35 x 15	1
5130 035022035	35 x 35 x 22	1
5130 035028035	35 x 35 x 28	1
5130 042015042	42 x 42 x 15	1
5130 042022042	42 x 42 x 22	1
5130 042028042	42 x 42 x 28	1
5130 042035042	42 x 42 x 35	1
5130 054015054	54 x 54 x 15	1
5130 054022054	54 x 54 x 22	1
5130 054028054	54 x 54 x 28	1
5130 054035054	54 x 54 x 35	1
5130 054042054	54 x 54 x 42	1

Note: all sizes are in mm unless otherwise stated

DC611RE: Tee - Reduced End

Copper All Ends



ITEM	SIZE	PACK QTY
5130 022022015	22 x 15 x 22	10
5130 028028015	28 x 15 x 28	10
5130 028028022	28 x 22 x 28	10
5130 035035028	35 x 28 x 35	1
5130 042042028	42 x 28 x 42	1

DC611REB: Tee - Reduced End and Branch

Copper All Ends



ITEM	SIZE	PACK QTY
5130 015010010	15 x 10 x 10	10
5130 022015015	22 x 15 x 15	10
5130 028015015	28 x 15 x 15	10
5130 028015022	28 x 22 x 15	10
5130 028022015	28 x 15 x 22	10
5130 028022022	28 x 22 x 22	10
5130 035022022	35 x 22 x 22	1
5130 035022028	35 x 28 x 22	1
5130 035028028	35 x 28 x 28	1
5130 042035035	42 x 35 x 35	1

Note: all sizes are in mm unless otherwise stated

DC611REE: Tee - Reduced Both Ends

Copper All Ends



ITEM	SIZE	PACK QTY
5130 015022015	15 x 15 x 22	10
5130 022028022	22 x 22 x 28	10
5130 028035028	28 x 28 x 35	1

DC617: Stop End

Copper



ITEM	SIZE	PACK QTY
5301 008000000	8	25
5301 010000000	10	10
5301 012000000	12	10
5301 015000000	15	10
5301 018000000	18	25
5301 022000000	22	10
5301 028000000	28	10
5301 035000000	35	1
5301 042000000	42	1
5301 054000000	54	1

Note: all sizes are in mm unless otherwise stated

DC633: Straight Union Coupler (Copper Tail)

Copper x Copper



ITEM	SIZE	PACK QTY
DC63315	15	1

DC6333: Female Straight Union Connector (Copper Tail)

Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
DC6333151/2	15 x 1/2"	1
DC6333223/4	22 x 3/4"	10
DC6333281	28 x 1"	1

DC6334: Male Straight Union Connector (Copper Tail)

Copper x Male Thread (Taper)



ITEM	SIZE	PACK QTY
DC6334151/2	15 x 1/2"	10
DC6334223/4	22 x 3/4"	10
DC6334221	22 x 1"	1
DC6334281	28 x 1"	1

Note: all sizes are in mm unless otherwise stated

DC633AB: Female Straight Union Connector (Spigot)

Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
4340A022008000	22 x 1"	10

DC633UA: Female Straight Union Connector (Cone)

Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
4340C022006000	22 x 3/4"	25
4340C022008000	22 x 1"	10
4340C028008000	28 x 1"	10
4340C028010000	28 x 1.1/4"	1

DC636: Cross Over

Copper x Copper



ITEM	SIZE	PACK QTY
5085 015000000	15	10
5085 022000000	22	10

Note: all sizes are in mm unless otherwise stated

Conex Delcop End Feed

DC636A: Part Cross Over


Male Copper x Copper



ITEM	SIZE	PACK QTY
5086 015000000	15	10
5086 022000000	22	10

DC639: Return Bend

Copper x Copper



ITEM	SIZE	PACK QTY
5060 015000000	15	10
5060 022000000	22	10

DC640: Extended Street Elbow

Copper x Copper



ITEM	SIZE	PACK QTY
DC64022	22	10

Note: all sizes are in mm unless otherwise stated

DC690MU: Straight Gas Meter Union to BS746

Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
5240Y022006000	22 x 3/4"	10
5240Y022008000	22 x 1"	10
5240Y028008000	28 x 1"	10

DC695MU: Bent Gas Meter Union to BS746

Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
DC695MU223/4	22 x 3/4"	10

DC701D: Straight Coupler with Air Vent

Copper x Copper



ITEM	SIZE	PACK QTY
4270D015000000	15	10
4270D022000000	22	10
4270D028000000	28	10

Note: all sizes are in mm unless otherwise stated

DC703: Female Straight Connector

Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
4270G015002000	15 x 1/4"	10
4270G015004000	15 x 1/2"	25
4270G015006000	15 x 3/4"	10
4270G022006000	22 x 3/4"	10
4270G022008000	22 x 1"	10
4270G028006000	28 x 3/4"	10
4270G028008000	28 x 1"	10
4270G035010000	35 x 1.1/4"	1
4270G042012000	42 x 1.1/2"	1
4270G054016000	54 x 2"	1

Replaces Catalogue No. DC603

DC7032: Female Straight Connector

Male Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
4246G022006000	22 x 3/4"	10

Note: all sizes are in mm unless otherwise stated

DC704: Male Straight Connector

Copper x Male Thread (Taper)



ITEM	SIZE	PACK QTY
4243G015002000	15 x 1/4"	10
4243G015003000	15 x 3/8"	10
4243G015004000	15 x 1/2"	25
4243G015006000	15 x 3/4"	10
4243G022006000	22 x 3/4"	10
4243G022008000	22 x 1"	10
4243G028006000	28 x 3/4"	10
4243G028008000	28 x 1"	10
4243G035010000	35 x 1.1/4"	10
4243G042012000	42 x 1.1/2"	1
4243G054016000	54 x 2"	1

Replaces Catalogue No. DC604

DC701D: Male Straight Connector

Male Copper x Male Thread (Taper)



ITEM	SIZE	PACK QTY
4280G015004000	15 x 1/2"	10
4280G022006000	22 x 3/4"	10
4280G028008000	28 x 1"	10

Note: all sizes are in mm unless otherwise stated

DC705D: Elbow with Air Vent

Copper x Copper



ITEM	SIZE	PACK QTY
4090D015000000	15	10
4090D022000000	22	10

DC70725: Female Wall Plate Elbow (2 Hole)

Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
4472G015004000	15 x 1/2"	25
4472G022006000	22 x 3/4"	10

DC7073: Female Elbow

Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
4090G015004000	15 x 1/2"	10
4090G022006000	22 x 3/4"	10
4090G028008000	28 x 1"	10
4090G035010000	35 x 1.1/4"	5

Note: all sizes are in mm unless otherwise stated

DC70735: Female Wall Plate Elbow (3 Hole)

Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
4471G015004000	15 x 1/2"	25
4471G022006000	22 x 3/4"	10

DC7074: Male Elbow

Copper x Male Thread (Taper)



ITEM	SIZE	PACK QTY
4092G015004000	15 x 1/2"	25
4092G022006000	22 x 3/4"	10
4092G028008000	28 x 1"	10
4092G035010000	35 x 1.1/4"	1
4092G042012000	42 x 1.1/2"	1
4092G054016000	54 x 2"	1

DC70763: Female Bent Union Connector (Red Brass Tail)

Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
4096G015004000	15 x 1/2"	10
4096G022006000	22 x 3/4"	10
4096G022008000	22 x 1"	5
4096G028008000	28 x 1"	5
4096G035010000	35 x 1.1/4"	1

Note: all sizes are in mm unless otherwise stated

DC70764: Male Bent Union Connector (Red Brass Tail with Internal Lugs) Copper x Male Thread (Taper)



ITEM	SIZE	PACK QTY
4098G015004000	15 x 1/2"	10
4098G022006000	22 x 3/4"	10
4098G028008000	28 x 1"	10

DC708: Female Wall Plate Connector
Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
4270A015004000	15 x 1/2"	10

DC711: Tee - Reduced End
Copper All Ends



ITEM	SIZE	PACK QTY
DC711351535	35 x 15 x 35	1

Note: all sizes are in mm unless otherwise stated

DC711P: Sweep Tee - Equal

Copper All Ends



ITEM	SIZE	PACK QTY
4131 022022022	22	10
4131 028028028	28	10
4131 042042042	42	1
4131 054054054	54	1

DC712: Tee with Female Branch

Copper x Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
4130G015004015	15 x 15 x 1/2"	25
4130G022004022	22 x 22 x 1/2"	10
4130G022006022	22 x 22 x 3/4"	10
4130G028004028	28 x 28 x 1/2"	10
4130G028006028	28 x 28 x 3/4"	10
4130G028008028	28 x 28 x 1"	10
4130G035004035	35 x 35 x 1/2"	1

DC714: Tee with Female End

Copper x Female Thread (Parallel) x Copper



ITEM	SIZE	PACK QTY
4134G015015004	15 x 1/2" x 15	10
4134G022022004	22 x 1/2" x 22	10
4134G028028004	28 x 1/2" x 28	1

Note: all sizes are in mm unless otherwise stated

DC716D: Air Vent

Male Fit



ITEM	SIZE	PACK QTY
4290D015000000	15	10

DC717D: Stop End with Air Vent

Copper



ITEM	SIZE	PACK QTY
4301D015000000	15	10
4301D022000000	22	10

DC733: Female Straight Union Coupler (Red Brass Tail)

Copper x FemaleTread (Parallel)



ITEM	SIZE	PACK QTY
4340G015000000	15 x 1/2	10
4340G022000000	22 x 3/4	10
4340G028000000	28 x 1	10
4340G035000000	35 x 1.1/2	1
4340R042012000	42 x 1.1/2	1
4340R054000000	54 x 2	1

Note: all sizes are in mm unless otherwise stated

Conex Delcop End Feed

DC7334: Male Straight Union Connector (Red Brass Tail with Internal Lugs) Copper x Male Thread (Taper)



ITEM	SIZE	PACK QTY
4341G015004000	15 x 1/2"	10
4341G022006000	22 x 3/4"	10
4341G022008000	22 x 1"	10
4341G028008000	28 x 1"	10
4341G035010000	35 x 1.1/4"	1
4341R042012000	42 x 1.1/2"	1
4341R054016000	54 x 2"	1

DC750A: Tank Connector Copper x Male Thread



ITEM	SIZE	PACK QTY
4350 015004000	15 x 1/2"	10
4350 022006000	22 x 3/4"	10
4350 028008000	28 x 1"	10

DC750B: Tank Connector (Long) Copper x Male Thread (Turned)



ITEM	SIZE	PACK QTY
DC750B151/2	15 x 1/2"	10
DC750B223/4	22 x 3/4"	10

Note: all sizes are in mm unless otherwise stated

Conex Delcop End Feed

DC750B: Tank Connector (Long)

Copper x Male Thread (Cast)



ITEM	SIZE	PACK QTY
DC750B35114	35 x 1.1/4"	1
DC750B42112	42 x 1.1/2"	1
DC750B542	54 x 2"	1

DC901: Straight Coupler

Copper x Copper



ITEM	SIZE	PACK QTY
V270 035000000	35	1
V270 042000000	42	1
V270 054000000	54	1

DC906: Obtuse Bend

Copper x Copper



ITEM	SIZE	PACK QTY
V041 035000000	35	1
V041 042000000	42	1
V041 054000000	54	1

Note: all sizes are in mm unless otherwise stated

DC9062: Obtuse Street Bend

Male Copper x Copper



ITEM	SIZE	PACK QTY
V040 035000000	35	1
V040 042000000	42	1
V040 054000000	54	1

DC607: Bend 911/2°

Copper x Copper



ITEM	SIZE	PACK QTY
V090 035000000	35	1
V090 042000000	42	1
V090 054000000	54	1

DC9072: Street Bend 911/2°

Male Copper x Copper



ITEM	SIZE	PACK QTY
V092 035000000	35	1
V092 042000000	42	1
V092 054000000	54	1

Note: all sizes are in mm unless otherwise stated

DC911: Pitcher Tee

Copper All Ends



ITEM	SIZE	PACK QTY
V131 035035035	35	1
V131 042035042	42 x 42 x 35	1
V131 042042042	42	1
V131 054035054	54 x 54 x 35	1
V131 054042042	54 x 42 x 42	1
V131 054042054	54 x 54 x 42	1
V131 054054054	54	1

DC8012: Fitting Reducer

Male Copper x Copper



ITEM	SIZE	PACK QTY
DC80124235	42 x 35	1
DC80125435	54 x 35	1
DC80125442	54 x 45	1

DC80716LH: Bend Cleaning Eye

Copper x Copper



ITEM	SIZE	PACK QTY
DC80716LH42	42	1
DC80716LH54	54	1

Note: all sizes are in mm unless otherwise stated

DC816: Cleanout Fitting and Plug

Male Copper x Plug



ITEM	SIZE	PACK QTY
DC81635	35	1
DC81654	54	1

DC816S: Cleanout Fitting and Plug Flush Fitting

Male Copper x Plug



ITEM	SIZE	PACK QTY
DC816S353/4	35 x 3/4"	1
DC816S421	42 x 1"	1
DC816S54112	54 x 1.1/2"	1

Note: all sizes are in mm unless otherwise stated

Conex Delbraz Range



Conex Delbraz fittings are available in sizes 66.7-159mm and are suitable for connection copper tubes in accordance with EN1057. Certain configurations are also available for joining 219mm diameter tubes. For sizes below 66.7mm please refer to the section on Conex Delcop End Feed fittings.

Conex Delbraz fittings are manufactured from copper or red brass thereby being immune to dezincification.

Fittings are designed for brazing applications only and are not suitable to be jointed using the soft soldering technique. Our range of accessories includes brazing rods to EN 1044, brazing flux, mats and an extensive range of flanges.

Hydraulic working temperatures and pressures based on EN 1254-1 are shown below:

Conex Delbrazo - Silver brazing alloys			
Size (mm)	Working pressure (bar)		
	-20° to 110°C	150°C	200°C
66.7	15.4	13.1	6.9
76.1	15.4	13.1	6.9
108	14.2	12.1	6.4
133	10.6	7.7	4.1
159	11.8	8.6	4.6

Maximum Working Temperatures and Pressures for Water/Glycol Applications

DB601: Straight Coupler

Copper x Copper



ITEM	SIZE	PACK QTY
5270 067000000	67	1
5270 076000000	76	1
5270 108000000	108	1
5270 133000000	133	1
5270 159000000	159	1

DB601IM: Metric to Imperial Straight Coupler

Copper x Copper



ITEM	SIZE	PACK QTY
5009 076024000	76 x 3"	1
5009 108032000	108 x 4"	1

Note: all sizes are in mm unless otherwise stated

DB601R: Reduced Coupler

Copper x Copper



ITEM	SIZE	PACK QTY
5240 067022000	67 x 22	1
5240 067028000	67 x 28	1
5240 067035000	67 x 35	1
5240 067042000	67 x 42	1
5240 067054000	67 x 54	1
5240 076028000	76 x 28	1
5240 076035000	76 x 35	1
5240 076042000	76 x 42	1
5240 076054000	76 x 54	1
5240 076067000	76 x 67	1
5240 108042000	108 x 42	1
5240 108054000	108 x 54	1
5240 108067000	108 x 67	1
5240 108076000	108 x 76	1
5240 133067000	133 x 67	1
5240 133108000	133 x 108	1
5240 159108000	159 x 108	1

Note: all sizes are in mm unless otherwise stated

DB703: Metric to Imperial Straight Coupler

Copper x Copper



ITEM	SIZE	PACK QTY
4270G067020000	67 X 2.1/2"	

DB704: Male Straight Connector

Copper Male Thread (Taper)



ITEM	SIZE	PACK QTY
4243G067020000	67 x 2.1/2"	1
4243G076024000	76 x 3"	1
4243G108032000	108 x 4"	1

Note: all sizes are in mm unless otherwise stated

DB6012: Fitting Reducer

Male Copper x Copper



ITEM	SIZE	PACK QTY
5243 067028000	67 x 28	1
5243 067035000	67 x 35	1
5243 067042000	67 x 42	1
5243 067054000	67 x 54	1
5243 076035000	76 x 35	1
5243 076042000	76 x 42	1
5243 076054000	76 x 54	1
5243 076067000	76 x 67	1
5243 108054000	108 x 54	1
5243 108067000	108 x 67	1
5243 108076000	108 x 76	1
5243 133067000	133 x 67	1
5243 133076000	133 x 76	1
5243 133108000	133 x 108	1
5243 159076000	159 x 76	1
5243 159108000	159 x 108	1
5243 159133000	159 x 133	1

Note: all sizes are in mm unless otherwise stated

DB607: Elbow

Copper x Copper



ITEM	SIZE	PACK QTY
5090 067000000	67	1
5090 076000000	76	1
5090 108000000	108	1

DB6072LT: Street Bend

Copper x Copper



ITEM	SIZE	PACK QTY
5001A067000000	67	1
5001A076000000	76	1
5001A108000000	108	1
5001A133000000	133	1
5001A159000000	159	1

DB607LT: Slow Elbow

Copper x Copper



ITEM	SIZE	PACK QTY
5002A067000000	67	1
5002A076000000	76	1
5002A108000000	108	1
5002A133000000	133	1
5002A159000000	159	1

Note: all sizes are in mm unless otherwise stated

DB606: Obtuse Elbow

Copper x Copper



The following sizes are manufactured to order

ITEM	SIZE	PACK QTY
5041 067000000	67	1
5041 076000000	76	1
5041 108000000	108	1
5041 133000000	133	1
5041 159000000	159	1

DB611: Tee - Equal

Copper All Ends



ITEM	SIZE	PACK QTY
5130 067067067	67	1
5130 076076076	76	1
5130 108108108	108	1
5130 133133133	133	1
5130 159159159	159	1

Note: all sizes are in mm unless otherwise stated

DB611RB: Tee - Reduced Branch

Copper All Ends



ITEM	SIZE	PACK QTY
5130 067015067	67 x 67 x 15	1
5130 067022067	67 x 67 x 22	1
5130 067028067	67 x 67 x 28	1
5130 067035067	67 x 67 x 35	1
5130 067042067	67 x 67 x 42	1
5130 067054067	67 x 67 x 54	1
5130 076015076	76 x 76 x 15	1
5130 076022076	76 x 76 x 22	1
5130 076028076	76 x 76 x 28	1
5130 076035076	76 x 76 x 35	1
5130 076042076	76 x 76 x 42	1
5130 076054076	76 x 76 x 54	1
5130 076067076	76 x 76 x 67	1
5130 108035108	108 x 108 x 35	1
5130 108042108	108 x 108 x 42	1
5130 108054108	108 x 108 x 54	1
5130 108067108	108 x 108 x 67	1
5130 159067159	159 x 159 x 67	1
5130 108076108	108 x 108 x 76	1
5130 133076133	133 x 133 x 76	1
5130 159076159	159 x 159 x 76	1
5130 133108133	133 x 133 x 108	1
5130 159108159	159 x 159 x 108	1

Note: all sizes are in mm unless otherwise stated

DB617: Stop End Copper



ITEM	SIZE	PACK QTY
5301 067000000	67	1
5301 076000000	76	1
5301 108000000	108	1
5301 133000000	133	1
5301 159000000	159	1

Note: all sizes are in mm unless otherwise stated

315: Medium Steel Wool



ITEM	SIZE	PACK QTY
DC315	1lb pack	1


318: Cleaning Pad



ITEM	SIZE	PACK QTY
DC318	9 x 6	2

Note: all sizes are in mm unless otherwise stated

DC321: EQA Grade Mat



ITEM	SIZE	PACK QTY
DC321	12 x 10	1

DC330N: Cup Cleaning Brush



ITEM	SIZE	PACK QTY
4974 015000000	15	10
4974 022000000	22	10

Note: all sizes are in mm unless otherwise stated

Conex

Triflow Solder Ring

Conex Triflow Solder Ring Range



Conex Triflow Solder Ring

Conex Triflow Solder Ring fittings contain lead-free solder complying with EN 29453 and ISO 9453. When heat is applied, the sufficient layer of lead-free solder fills the gap between the tube and fitting by capillary action to form a mechanically strong, leak-proof joint without the need for external solder application.

Conex Triflow Solder Ring fittings are manufactured in accordance with EN 1254-1 and 4. They are available in sizes 6-66.7mm and are suitable for connecting copper tubes in accordance with EN 1057. Imperial copper tube to BS 659 in sizes 3/8", 2" and 2.1/2" can be readily joined using 12mm, 15mm, 54mm and 66.7mm fittings respectively.

To counteract the dezincification problem, Triflow Solder Ring fittings are manufactured from high-grade copper, red brass or dezincification resistant (DZR) brass.

Conex Triflow Solder Ring

Working temperatures and pressures based on EN 1254-1 are shown below:

Conex Triflow Solder Ring				
Size (mm)	Working pressure (bar)			
	0° to 30°C	65°C	95°C	110°C
6 - 54	16	10	7	6
67	10	6	5	4

Maximum Working Temperatures and Pressures for Water Applications

SOLDER RING ASSEMBLY INSTRUCTIONS:

Tools required:

Tube cutter, deburring tool, abrasive cloth, flux and blow lamp.




Assembly

- Ensure the copper tube and fitting sizes are compatible. Cut the tube end square, and ensure it retains its shape.
- Deburr the tube, both inside and outside.
- Clean tube with an abrasive cloth, and fitting socket with a wire brush.
- Apply a thin layer of flux to the tube, and to the fitting socket.
- Insert the tube into the fitting until the tube stop is reached. Rotate the tube or fitting and remove excess flux where possible
- Light the blowlamp, and heat the fitting socket until the flux starts to boil. Keep the flame moving over the fitting and tube, do not provide excessive heat or additional solder.
- Remove the blowlamp, allow to cool and wipe the joint(s) with a damp cloth to remove flux residues.
- Flush all residues out of the system.

Demounting

- This fitting system is not demountable.

Conex Triflow Solder Ring



Conex Triflow Solder Ring

TP1: Straight Coupler

Copper x Copper



ITEM	SIZE	PACK QTY
TP0108	8	25
TP0110	10	25
TP0112	12	25
TP0115	15	25
TP0122	22	25
TP0128	28	10
TP0135	35	10
TP0142	42	5
TP0154	54	2
TP0167	67	1

TP1R: Reducing Straight Coupler

Copper x Copper



ITEM	SIZE	PACK QTY
TP01R1008	10 x 8	10
TP01R1508	15 x 8	10
TP01R1512	15 x 10	25
TP01R1510	15 x 10	10
TP01R2210	22 x 10	10
TP01R2215	22 x 15	25
TP01R2815	28 x 15	10
TP01R2822	28 x 22	10
TP01R3522	35 x 22	10
TP01R3528	35 x 28	10
TP01R4228	42 x 28	5
TP01R5435	54 x 35	2
TP01R5442	54 x 42	2

TP1S: Slip Coupler

Copper x Copper



ITEM	SIZE	PACK QTY
TP01S15	15	25
TP01S22	22	25
TP01S28	28	10

TP1M: Metric to Imperial Straight Connector

Copper Metric x Copper (Imperial)



ITEM	SIZE	PACK QTY
TP1M151/2	15 x 1/2"	25
TP01M223/4	22 x 3/4"	25
TP01M281/0	28 x 1"	10
TP01M3511/4	35 x 1.1/4"	5
TP01M4211/2	42 x 1.1/2"	5
TP01R1512	15 x 10	25
TP01R2210	22 x 10	10
TP01R4228	42 x 28	5

Note: all sizes are in mm unless otherwise stated

Conex Triflow Solder Ring

TP2: Female Straight Connector

Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
TP02151/2	15 x 1/2"	25
TP02223/4	22 x 3/4"	10
TP02281/0	28 x 1"	10
TP02351 1/4	35 x 1.1/4"	5
TP02421 1/2	42 x 1.1/2"	5
TP02542/0	54 x 2"	2

TP2LC: Female Reduced Straight Connector

Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
TP02151/4	15 x 1/4"	25

Note: all sizes are in mm unless otherwise stated

TP2W: Female Wall Plate Connector

Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
TP02W151/2	15 x 1/2"	10

TP3: Male Straight Connector

Copper x Male Thread (Taper)



ITEM	SIZE	PACK QTY
TP03151/2	15 x 1/2"	25
TP03223/4	22 x 3/4"	10
TP03281/0	28 x 1"	10
TP033511/4	35 x 1.1/4"	5
TP034211/2	42 x 1.1/2"	5
TP03542/0	54 x 2"	1

Note: all sizes are in mm unless otherwise stated

Conex Triflow Solder Ring

TP3LC: Male Reduced Straight Connector

Copper x Male Thread (Taper)



ITEM	SIZE	PACK QTY
TP03151/4	15 x 1/4"	25
TP03153/8	15 x 3/8"	10

TP5: Tank Connector

Copper x Male Thread



ITEM	SIZE	PACK QTY
TP05151/2	15 x 1/2"	25
TP05223/4	22 x 3/4"	10

Note: all sizes are in mm unless otherwise stated

TP6: Fitting Reducer

Male Copper x Copper



ITEM	SIZE	PACK QTY
TP061008	10 x 8	10
TP061508	15 x 8	25
TP061510	15 x 10	25
TP061512	15 x 12	25
TP062215	22 x 15	25
TP062815	28 x 15	10
TP062822	28 x 22	10
TP063515	35 x 15	10
TP063522	35 x 22	10
TP063528	35 x 28	10
TP064215	42 x 15	5
TP064222	42 x 22	5
TP064228	42 x 28	5
TP064235	42 x 35	5
TP065415	54 x 15	2
TP065422	54 x 22	2
TP065428	54 x 28	2
TP065435	54 x 35	2
TP065442	54 x 42	2
TP066728	67 x 28	1
TP066735	67 x 35	1
TP066742	67 x 42	1
TP066754	67 x 54	1

Note: all sizes are in mm unless otherwise stated

Conex Triflow Solder Ring

TP7: Female Adaptor

Male Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
TP07151/2	15 x 1/2"	10
TP07223/4	22 x 3/4"	5

TP9: Imperial to Metric Adaptor

Male Copper (Metric) x Copper (Imperial)



ITEM	SIZE	PACK QTY
TP09223/4	22 x 3/4"	25
TP09281/0	28 x 1"	10

TP12: Elbow

Copper x Copper



ITEM	SIZE	PACK QTY
TP1208	8	25
TP1210	10	25
TP1212	12	10
TP1215	15	25
TP1222	22	25
TP1228	28	10

Note: all sizes are in mm unless otherwise stated

ITEM	SIZE	PACK QTY
TP1235	35	5
TP1242	42	5
TP1254	54	2
TP1267	67	1

TP12S: Street Elbow

Male Copper x Copper



ITEM	SIZE	PACK QTY
TP12S15	15	25
TP12S22	22	25
TP12S28	28	10

TP13: Male Elbow

Copper x Male Thread (Taper)



ITEM	SIZE	PACK QTY
TP13151/2	15 x 1/2"	25
TP13223/4	22 x 3/4"	10

Note: all sizes are in mm unless otherwise stated

Conex Triflow Solder Ring

TP13LC: Male Reduced Elbow

Copper x Male Thread (Taper)



ITEM	SIZE	PACK QTY
TP13151/4	15 x 1/4"	10

TP14: Female Elbow

Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
TP14151/2	15 x 1/2"	10
TP14221/2	22 x 1/2"	10
TP14223/4	22 x 3/4"	10
TP14281/0	28 x 1"	5

TP15: Female Wall Plate Elbow

Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
TP15151/2	15 x 1/2"	25

Note: all sizes are in mm unless otherwise stated

TP18: Slow Bend

Copper x Copper



ITEM	SIZE	PACK QTY
TP1815	15	25
TP1822	22	10

TP21: Obtuse Bend

Copper x Copper



ITEM	SIZE	PACK QTY
TP2115	15	25
TP2122	22	10
TP2128	28	10
TP2135	35	5
TP2142	42	2
TP2154	54	2
TP2167	67	1

Note: all sizes are in mm unless otherwise stated

Conex Triflow Solder Ring

TP24: Tee - Equal Copper All Ends



ITEM	SIZE	PACK QTY
TP2408	8	25
TP2410	10	25
TP2412	12	10
TP2415	15	25
TP2422	22	25
TP2428	28	10
TP2435	35	5
TP2442	42	2
TP2454	54	2
TP2467	67	1

TP25: Tee - Reduced Branch Copper All Ends



ITEM	SIZE	PACK QTY
TP25151510	15 x 15 x 10	10
TP25222215	22 x 22 x 15	25
TP25282815	28 x 28 x 15	10
TP25282822	28 x 28 x 22	10
TP25353515	35 x 35 x 15	5
TP25353522	35 x 35 x 22	5
TP25353528	35 x 35 x 28	5
TP25424215	42 x 42 x 15	2
TP25424222	42 x 42 x 22	2

Note: all sizes are in mm unless otherwise stated

ITEM	SIZE	PACK QTY
TP25424228	42 x 42 x 28	2
TP25424235	42 x 42 x 35	2
TP25545415	54 x 54 x 15	2
TP25545422	54 x 54 x 22	1
TP25545428	54 x 54 x 28	2
TP25545435	54 x 54 x 35	1
TP25545442	54 x 54 x 42	2
TP25676728	67 x 67 x 28	1

TP26: Tee - Reduced End Copper All Ends



ITEM	SIZE	PACK QTY
TP26221522	22 x 15 x 22	25
TP26281528	28 x 15 x 28	10
TP26282228	28 x 22 x 28	10
TP26351535	35 x 15 x 35	2
TP26352235	35 x 22 x 35	1
TP26352835	35 x 28 x 35	1
TP26422842	42 x 28 x 42	2
TP26423542	42 x 35 x 42	2
TP26544254	54 x 42 x 54	2

Note: all sizes are in mm unless otherwise stated

Conex Triflow Solder Ring

TP27: Tee - Reduced End and Branch

Copper All Ends



ITEM	SIZE	PACK QTY
TP27221515	22 x 15 x 15	25
TP27281515	28 x 15 x 15	10
TP27281522	28 x 15 x 22	10
TP27282215	28 x 22 x 15	10
TP27282222	28 x 22 x 22	1

TP28: Tee - Reduced Both Ends

Copper All Ends



ITEM	SIZE	PACK QTY
TP28151522	15 x 15 x 22	25
TP28222228	22 x 22 x 28	10
TP28424254	42 x 42 x 54	1

TP29: Tee with Female End

Copper x Female Thread (Parallel) x Copper



ITEM	SIZE	PACK QTY
TP29151/215	15 x 1/2" x 15	25
TP29223/422	22 x 3/4" x 22	1

Note: all sizes are in mm unless otherwise stated

TP29R: Tee with Female Reduced End

Copper x Female Thread (Parallel) x Copper



ITEM	SIZE	PACK QTY
TP29R221/222	22 x 1/2" x 22	10

TP30: Tee with Female Branch

Copper x Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
TP3022223/4	22 x 22 x 3/4"	10

TP30R: Tee with Female Reduced Branch

Copper x Copper x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
TP30R22221/2	22 x 22 x 1/2"	5
TP30R28281/2	28 x 28 x 1/2"	5

Note: all sizes are in mm unless otherwise stated

Conex Triflow Solder Ring

TAV35: **Air Vent** Copper



ITEM	SIZE	PACK QTY
TAV3515	15	10

TAV36: **Air Vent**



Refer to Catalogue No. DC716D

TP37: **Sweep Tee - Equal** Copper All Ends



ITEM	SIZE	PACK QTY
TP3715	15	5

Note: all sizes are in mm unless otherwise stated

TP61: Stop End Copper



ITEM	SIZE	PACK QTY
TP6108	8	25
TP6110	10	25
TP6115	15	25
TP6122	22	25
TP6128	28	10
TP6135	35	5
TP6142	42	5
TP6154	54	2

TP62: Straight Tap Connector Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
TP62151/2	15 x 1/2"	25
TP62153/4	15 x 3/4"	10
TP62223/4	22 x 3/4"	25

Note: all sizes are in mm unless otherwise stated

Conex Triflow Solder Ring

TP63: Bent Tap Connector

Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
TP63151/2	15 x 1/2"	25
TP63223/4	22 x 3/4"	10

TP64: Bent Cylinder Union (Coned)

Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
TP64221/0	22 x 1"	10
TP642811/4	28 x 1.1/4"	5

TP68: Straight Cylinder Union (Coned)

Copper x Swivel Female Thread



ITEM	SIZE	PACK QTY
TP68153/4	15 x 3/4"	5
TP68221/0	22 x 1"	10
TP682811/4	28 x 1.1/4"	5

Note: all sizes are in mm unless otherwise stated

TP70: Male Nipple (Taper)



ITEM	SIZE	PACK QTY
TP701/03/4	1" x 3/4"	10
TP7011/41/0	1.1/4" x 1"	5

TP72: Female Nipple (Parallel)



ITEM	SIZE	PACK QTY
TP7211/41/0	1.1/4" x 1"	10
TP7211/211/4	1.1/2" x 1.1/4"	2

TP97: Sealing Washer



ITEM	SIZE	PACK QTY
TP971/2	1/2"	25
TP973/4	3/4"	25

Note: all sizes are in mm unless otherwise stated

Conex Compression

Conex Compression Valves Range



Conex Compression Valve

Stop valves to EN 1213 (BS1010-2)

701: S701 Stop Valve - Crutch Head

Conex x Conex



ITEM	SIZE	PACK QTY
EE-1012701--	15	5
GG-1012701--	22	5
HH-1012701--	28	1
JJ-1012701--	28	1
KK-1012701--	35	1
NN-1012701--	42	1
EE-5012701--	15	5
GG-5012701--	22	5
HH-5012701--	28	1

Draining Taps

S742: DZR Draining Tap to BS2879-2 1980 (Bushed) Male Thread (Parallel)



ITEM	SIZE	PACK QTY
03-5040742--	1/2"	10

Note: all sizes are in mm unless otherwise stated

S746: DZR Draining Tap (Bushed) Plain Tail



ITEM	SIZE	PACK QTY
03-5040746--	1/2"	10

1350: Draining Tap Key



ITEM	SIZE	PACK QTY
04-1021350KY	3/4"	1

42500KY: Lockshield Key for Gate Valves



ITEM	SIZE	PACK QTY
E--1042500KY	15 - 22	1

Note: all sizes are in mm unless otherwise stated

Conex Compression Valve

Fullway Gate Valves to BS5154/B

1001 1001LK: Brass Gate Valve (PN16)

Conex x Conex



ITEM	SIZE	PACK QTY
EE-1042500--	15	5
GG-1042500--	22	5
HH-1042500--	28	2
JJ-1042500--	35	1
KK-1042500--	42	1
NN-1042500--	54	1

Brass Lock Shield Gate Valve

Conex x Conex



ITEM	SIZE	PACK QTY
EE-1842500--	15	5
GG-1842500--	22	5
HH-1842500--	28	2
JJ-1842500--	35	1
KK-1842500--	42	1
NN-1842500--	54	1

1001CP: Chrome Plated Brass Gate Valve (PN16)

Conex x Conex



ITEM	SIZE	PACK QTY
EE-1342500--	15	1

Note: all sizes are in mm unless otherwise stated

1101/100: DZR Gate Valve to BS 5154/B

Conex x Conex



ITEM	SIZE	PACK QTY
QQ-2042520--	67	1
RR-2042520--	76	1

Brass Gate Valve (PN16)

Female x Female



We recommend Catalogue No. 1204

Note: all sizes are in mm unless otherwise stated

Conex Compression Valve

Servicing Valves to BS6675

720NP: Straight Servicing Valve

Conex x Conex



ITEM	SIZE	PACK QTY
EC-1512720B-	15 x 10	10
EE-1512720B-	15 x 15	10
GG-1512720B-	22 x 22	10

R720: Servicing Valve

Push Fit x Push Fit



ITEM	SIZE	PACK QTY
R720 015000000	15	2
R720 022000000	22	2

721NP: Servicing Valve Elbow

Conex x Swivel Female Thread



ITEM	SIZE	PACK QTY
E031512721B-	15 x 1/2"	10

Note: all sizes are in mm unless otherwise stated

722NP: Straight Servicing Valve

Conex x Swivel Female Thread



ITEM	SIZE	PACK QTY
E031512722B-	15 x 1/2"	10
G041512722B-	22 x 3/4"	10

Plug Tap

1501: Gas Plug Tap

Conex x Conex



ITEM	SIZE	PACK QTY
EE-1021501--	15	5
GG-1021501--	22	5


Note: all sizes are in mm unless otherwise stated

Conex Compression Valve

Lever Ball Valves - Male

1201 S1201: Lever Ball with Standard Red Lever


Conex x Conex



ITEM	SIZE	PACK QTY
EE-1021201--	15	1
GG-1021201--	22	1
HH-1021201--	28	1
EE-5021201--	15	1
GG-5021201--	22	1
HH-5021201--	28	1

S1201 ISO: ISO Lever Ball Valve with Standard Red Lever


Poly x Poly



ITEM	SIZE	PACK QTY
VV-5031201--	20	1
MM-5031201--	25	1

S1201 ISO: ISO Lever Ball Valve with Standard Red Lever

Poly (Inlet) x Conex




ITEM	SIZE	PACK QTY
ME-5031201--	25 x 15	1
MG-5031201--	25 x 22	1

Note: all sizes are in mm unless otherwise stated

1211: Lever Ball Valve with Red 'T' Handle

Conex x Conex



ITEM	SIZE	PACK QTY
EE-1021211--	15	1
GG-1021211--	22	1
HH-1021211--	28	1

Lever Ball Valves - Female

1204: Lever Ball Valve with Standard Red Lever

Female Thread (Parallel) x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
0331021204--	1/2"	1
0441021204--	3/4"	1
0771021204--	1.1/2"	1
0881021204--	2"	1

1204G: Lever Ball Valve with Standard Yellow Lever

Female Thread (Parallel) x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
1204G002002000	1/4"	10
1204G004004000	1/2"	10
1204G006006000	3/4"	1

Note: all sizes are in mm unless otherwise stated

Conex Compression Valve

Lever Ball Valves -Female

1204W: Light Pattern Lever Ball Valve with Standard Red Lever
Female Thread (Parallel) x Female Thread (Parallel)



ITEM	SIZE	PACK QTY
1204W004004000	1/2"	10
1204W006006000	3/4"	1
1204W008008000	1"	1
1204W010010000	1.1/4"	1
1204W012012000	1.1/2"	1
1204W016016000	2"	1

R204: Lever Ball Valve
Push Fit x Push Fit



ITEM	SIZE	PACK QTY
R204 015000000	15	1
R204 022000000	22	1

Note: all sizes are in mm unless otherwise stated

Conex Compression Valve

Brass Float valves to BS1212: Part 2

52033: High Pressure Side Entry



ITEM	SIZE	PACK QTY
81D103352003	1/2 x 8.1/4 x 3 x 1.3/8"	1

52063: Low Pressure Side Entry



ITEM	SIZE	PACK QTY
81D106352003	1/2 x 8.1/4 x 3 x 1.3/8"	1

Note: all sizes are in mm unless otherwise stated

Conex >B< Oyster Range



The Conex Oyster converter is simple in its concept but very versatile and efficient in practice. The only tools you require are the special Oyster pliers and a standard open ended or adjustable spanner, ideal for flame-free installations.

The Conex Oyster converter is designed with a male parallel thread allowing it to be connected to a wide variety of female threaded fittings without the need for any additional sealant, such as PTFE tape. Sealing is achieved via two EPDM o-rings, one internal to seal on the tube, the other to make the fitting seal. The Oyster bodies are available in yellow brass, red brass or stainless steel.

Oyster fittings can be used on drinking water and other hot and cold water systems, including central heating. These fittings are compatible with EN 1057 copper tube, soft half-hard and hard.

Conex Oyster fittings have WRAS approval and are manufactured in accordance with accredited EN ISO 9000 Quality Management Procedures.

OYSTER ASSEMBLY INSTRUCTIONS:

Tools required:

Cutting tool, deburring tool and flat-faced spanner.

Assembly

- Cut the tube end square, and ensure it retains its shape.
- Deburr the tube, both inside and outside.
- Slide the oyster converter onto the tube, taking care not to damage the 'o' ring. The fitting must have the thread facing the component to be terminated.
- Using the pliers, dimple the tube with the projections facing outwards. The recommended number is:

Up to 16mm	3 dimples
18-42mm	4 dimples
54mm	6 dimples

- Slide the fitting up to the dimples, which will retain it on the tube.
- Screw the thread of the fitting into the component until hand tight.
- Using a flat-faced spanner, tighten until metal to metal contact then a further 1/4 turn.

Demounting

- Turn off the water supply.
- Place a suitable receptacle under the joint to be dismounted.
- With suitable flat-faced spanners, undo the joint.
- Slide the oyster converter back from the component.
- Pull the tube from the fitting socket, ensuring any excess water is collected in the receptacle.



Conex oyster

Termination Fittings

Y4243G: Oyster Red Brass (Red Brass)



ITEM	SIZE	PACK QTY
Y4243G01504000	15 x 1/2"	10
Y4243G02206000	22 x 3/4"	10
Y4243G02808000	28 x 1"	10
Y4243G03510000	35 x 1.1/4"	5
Y4243G04212000	42 x 1.1/2"	5

Y74243G: Oyster Stainless Steel



ITEM	SIZE	PACK QTY
Y7243G01504000	15 x 1/2"	10
Y7243G02808000	28 x 1"	10
Y7243G03510000	35 x 1.1/4"	5
Y7243G04212000	42 x 1.1/2"	5
Y7243G05416000	54 x 2"	5

Y8243G: Oyster Yellow Brass



ITEM	SIZE	PACK QTY
Y8243G01003000	10 x 3/8"	10
Y8243G01504000	15 x 1/2"	10
Y8243G02206000	22 x 3/24"	10
Y8243G02208000	22 x 1	5
Y8243G02808000	28 x 1	10
Y8243V01504000	15 x 1/2" NP**	10
Y8243V02206000	22 x 3/4" NP**	10

** Nickel Plated Note: all sizes are in mm unless otherwise stated

Y3270: Oyster Expansion Coupler



ITEM	SIZE	PACK QTY
Y3270 00400000	1/2"	1
Y3270 00800000	1"	1
Y3270 01000000	1.1/4"	1
Y3270 01200000	1.1/2"	1
Y3270 01600000	2"	1

Y77266: Ratchet Pliers

Copper and Stainless Steel



ITEM	SIZE	PACK QTY
Y77266 00000000	10 - 54	1

Y77267: Standard Pliers

Copper only



ITEM	SIZE	PACK QTY
Y77267 00000000	10 - 28	1

Note: all sizes are in mm unless otherwise stated

Conex >B< Press Range



Conex >B< Press fittings are user friendly and very quick to install, leading to savings on labour costs. It also offers the advantage of a flame free installation, therefore posing no fire risk. Conex >B< Press is a versatile press fitting system for use with hard, half-hard and soft copper tube, providing a secure, long-life, leak-proof joint. They are available in Copper and Red Brass and are suitable for use with copper tube to EN 1057.

To install >B< Press, a mechanical press tool with a compatible jaw with 'V' profile to fit each size of fitting is required. When pressure is exerted through the press tool the joint is permanently made and the fitting cannot be dismantled or re-used. The >B< Press profile has the advantage of a 3 Point Press making it more secure, two presses either side of the bead and one press crimping the o-ring

Pressing Indicator Feature

IBP has developed a unique pressing indicator, a specially designed EPDM o-ring. It has a reduced section in two positions causing leaks at low pressures when not pressed (from 0.1 to 5.0 bar). When the fitting is pressed, the o-ring material compresses, filling the gaps, securing a leak-free path.

Therefore there is no need to go to full test pressure to check that all fittings have been pressed. This >B< Press feature is available in fittings sized 12-54mm and suitable for hot and cold water applications.

>B< Press Gas

Conex >B< Press fittings for natural gas and LPG applications are identified by a yellow coloured o-ring and dot on the fitting body.

Working temperatures and pressures for water and gas:

Application	Pressure (bar)	Temperature	Medium
Drinking water installations to pr EN 806	10 16	95°C 30°C	Drinking Water to DWD
Chilled water	10	5°C	Water
Water heating	6	110°C	50/50 glycol/water mix
Solar heating	3	-35°C to +130°C 200°C 20 h/a 180°C 60h/a	50/50 glycol/water mix
Long distance water heating	10	130°C	50/50 glycol/water mix
Rainwater installations	10	30°C	Rainwater
Compressed air installations (oil free)	10	30°C	Compressed air to ISO 8573.1 Class 1-4 (oil free)
Vacuum	-0.8	Ambient	-
Domestic Fire Sprinkler Systems	16	Ambient	Water
Gas Installations DVGW – TRGI 1986/96	PN5/GT/1	-20°C to +70°C	Gases according to DVGW G260
Liquid gas installations	PN5/GT/1	-20°C to +70°C	Gases according to DVGW G260
Fuel oil installations	PN5	-20°C to +40°C	-

Maximum Working Temperatures and Pressures for Water and Gas Applications

>B< PRESS ASSEMBLY INSTRUCTIONS:

Tools required:

Tube cutter, deburring tool, press machine, press jaws.

Assembly

- Ensure the tube and fitting sizes are compatible.
Cut the tube end square, and ensure it retains its shape.
- Deburr the tube, both inside and outside.
- Check 'o' rings are present in the fitting.
- Insert the tube into the fitting until the tube stop, ensure the 'o' rings are not dislodged.
- If the joint(s) is (are) not pressed, when pressure tested they will leak profusely.
- Insert the correct jaw size into the >B< Press Tool
- Open the press jaw, and align with the 'o' ring bead, allow the jaw to close.
- Operate the press machine to press the fitting.
The machine will stop at the end of its pressing cycle.
- Open the jaw, and remove from the fitting.
- Make sure all joints have been pressed.

Demounting

- This fitting system is not demountable.



Sanitary and Heating Applications 15mm - 108mm

P1: Straight Coupler

Copper x Copper



ITEM	SIZE	PACK QTY
P5270 01500000	15	10
P5270 02200000	22	10
P5270 02800000	28	5
P5270 03500000	35	1
P5270 04200000	42	1
P5270 05400000	54	1
P4270 06700000	67	1
P4270 07600000	76	1
P4270 08900000	89	1
P4270 10800000	108	1

P1R: Reduced Straight Coupler

Copper x Copper



ITEM	SIZE	PACK QTY
P5240 02215000	22 x 15	10
P5240 02822000	28 x 22	5
P5240 03528000	35 x 28	5
P5240 04235000	42 x 35	1
P5240 05442000	54 x 42	1

Note: all sizes are in mm unless otherwise stated

P1S: Slip Coupler

Copper x Copper



ITEM	SIZE	PACK QTY
P4275 01500000	15	5
P4275 02200000	22	5
P4275 02800000	28	5
P4275 03500000	35	1
P4275 04200000	42	1
P4275 05400000	54	1
P4275 06700000	67	1
P4275 07600000	76	1
P4275 10800000	108	1

P2: Female Straight Connector

Copper x Female Thread



ITEM	SIZE	PACK QTY
P4270G01504000	15 x 1/2"	5
P4270G02204000	22 x 1/2"	5
P4270G02206000	22 x 3/4"	5
P4270G02808000	28 x 1"	5
P4270G03510000	35 x 1.1/4"	1
P4270G04212000	42 x 1.1/2"	1
P4270G05416000	54 x 2"	1

Note: all sizes are in mm unless otherwise stated

P3: Male Straight Connector

Copper x Male Thread



ITEM	SIZE	PACK QTY
P4243G01504000	15 x 1/2"	5
P4243G02206000	22 x 3/4"	5
P4243G02808000	28 x 1"	5
P4243G03510000	35 x 1.1/4"	1
P4243G04212000	42 x 1.1/2"	1
P4243G05416000	54 x 2"	1
P4243G06720000	67 x 2.1/2"	1
P4243G07624000	76 x 3"	1

P12: 90° Bend

Copper x Copper



ITEM	SIZE	PACK QTY
P5002 01500000	15	10
P5002 02200000	22	10
P5002 02800000	28	5
P5002 03500000	35	5
P5002 04200000	42	5
P5002 05400000	54	1

Note: all sizes are in mm unless otherwise stated

P12: 90° Elbow


Copper x Copper



ITEM	SIZE	PACK QTY
P4090 06700000	67	1
P4090 07600000	76	1
P4090 10800000	108	1

P12S: 90° Street Bend

Copper x Male Copper



ITEM	SIZE	PACK QTY
P5001 01500000	15	10
P5001 02200000	22	10
P5001 02800000	28	5
P5001 03500000	35	5
P5001 04200000	42	5
P5001 05400000	54	1

P12S: 90° Street Elbow

Copper x Male Copper



ITEM	SIZE	PACK QTY
P4092 06700000	67	1
P4092 07600000	76	1
P4092 10800000	108	1

Note: all sizes are in mm unless otherwise stated

P6:

Fitting Reducer

Male Copper x Copper



ITEM	SIZE	PACK QTY
P5243 01512000	15 x 12	10 P6
P5243 02215000	22 x 15	10 P6
P5243 02815000	28 x 15	5 P6
P5243 02822000	28 x 22	10 P6
P5243 03522000	35 x 22	5 P6
P5243 03528000	35 x 28	1 P6
P5243 04222000	42 x 22	1 P6
P5243 04228000	42 x 28	1 P6
P5243 04235000	42 x 35	1 P6
P5243 05428000	54 x 28	1 P6
P5243 05435000	54 x 35	1 P6
P5243 05442000	54 x 42	1 P6
P4243 06728000	67 x 28	1 P6
P4243 06735000	67 x 35	1 P6
P4243 06742000	67 x 42	1 P6
P4243 06754000	67 x 54	1 P6
P4243 07635000	76 x 35	1 P6
P4243 07642000	76 x 42	1 P6
P4243 07654000	76 x 54	1 P6
P4243 07667000	76 x 67	1 P6
P4243 08954000	89 x 54	1 P6
P4243 10842000	108 x 42	1 P6
P4243 10854000	108 x 54	1 P6
P4243 10867000	108 x 67	1 P6
P4243 10876000	108 x 76	1 P6
P4243 10889000	108 x 89	1 P6

Note: all sizes are in mm unless otherwise stated

P13: 90° Bend with Male Thread

Copper x Male Thread



ITEM	SIZE	PACK QTY
P4001G01504000	15 x 1/2"	10
P4001G02206000	22 x 3/4"	5
P4001G02808000	28 x 1"	5
P4001G03510000	35 x 1.1/4"	1
P4001G04212000	42 x 1.1/2"	1
P4001G05416000	54 x 2"	1

P14: 90° Elbow with Female Thread

Copper x Female Thread



ITEM	SIZE	PACK QTY
P4090G01504000	15 x 1/2"	5
P4090G02204000	22 x 1/2"	5
P4090G02206000	22 x 3/4"	5
P4090G02208000	22 x 1"	5
P4090G02808000	28 x 1"	5
P4090G03510000	35 x 1.1/4"	1
P4090G04212000	42 x 1.1/2"	1
P4090G05416000	54 x 2"	1

Note: all sizes are in mm unless otherwise stated

P20: Return Bend

Copper x Copper



ITEM	SIZE	PACK QTY
P5060 02200000	22	10

P21: 45° Obtuse Elbow

Copper x Copper




ITEM	SIZE	PACK QTY
P5041 01500000	15	10
P5041 02200000	22	10
P5041 02800000	28	5
P5041 03500000	35	5
P5041 04200000	42	5
P5041 05400000	54	1
P4041 06700000	67	1
P4041 07600000	76	1
P4041 08900000	89	1
P4041 10800000	108	1

Note: all sizes are in mm unless otherwise stated

P21S: 45° Obtuse Street Elbow

Copper x Male Copper



ITEM	SIZE	PACK QTY
P5040 01500000	15	10
P5040 02200000	22	10
P5040 02800000	28	5
P5040 03500000	35	5
P5040 04200000	42	5
P5040 05400000	54	1
P4040 06700000	67	1
P4040 07600000	76	1
P4040 08900000	89	1
P4040 10800000	108	1

Note: all sizes are in mm unless otherwise stated

P24: Tee - Equal

Copper All Ends



ITEM	SIZE	PACK QTY
P5130 01515015	15	10
P5130 02222022	22	10
P5130 02828028	28	5
P5130 03535035	35	1
P5130 04242042	42	1
P5130 05454054	54	1
P4130 06767067	67	1
P4130 07676076	76	1
P4130 08989089	89	1
P4130 108108108	108	1

P25: Tee - Reduced Branch

Copper All Ends



ITEM	SIZE	PACK QTY
P4130 08954089	22 x 22 x 15	5
P4130 08976089	22 x 22 x 15	5
P4130 10889108	22 x 22 x 15	5
P5130 02815028	28 x 28 x 15	5
P5130 02822028	28 x 28 x 22	5
P5130 03515035	35 x 35 x 15	1
P5130 03522035	35 x 35 x 22	1
P5130 03528035	35 x 35 x 28	1
P5130 04222042	42 x 42 x 22	1
P5130 04228042	42 x 42 x 28	1
P5130 04235042	42 x 42 x 35	1

Note: all sizes are in mm unless otherwise stated

ITEM	SIZE	PACK QTY
P5130 05422054	54 x 54 x 22	1
P5130 05428054	54 x 54 x 28	1
P5130 05435054	54 x 54 x 35	1
P5130 05442054	54 x 54 x 42	1
P4130 06728067	67 x 67 x 28	1
P4130 06735067	67 x 67 x 35	1
P4130 06742067	67 x 67 x 42	1
P4130 06754067	67 x 67 x 54	1
P4130 07628076	76 x 76 x 28	1
P4130 07635076	76 x 76 x 35	1
P4130 07642076	76 x 76 x 42	1
P4130 07654076	76 x 76 x 54	1
P4130 07667076	76 x 76 x 67	1
P4130 08954089	89 X 89 X 54	0
P4130 08976089	89 X 89 X 76	0
P4130 10854108	108 x 108 x 54	1
P4130 10876108	108 x 108 x 76	1
P4130 10889108	108 X 108 X 89	1

Note: all sizes are in mm unless otherwise stated

P26: Tee - Reduced End

Copper All Ends



ITEM	SIZE	PACK QTY
P5130 02222015	22 x 15 x 22	10
P5130 02828015	28 x 15 x 28	5
P5130 02828022	28 x 22 x 28	5

P27: Tee - Reduced End and Branch

Copper All Ends



ITEM	SIZE	PACK QTY
P5130 02215015	22 x 15 x 15	10
P5130 02815022	28 x 22 x 15	5
P5130 02822022	28 x 22 x 22	5
P5130 03522028	35 x 28 x 22	1
P5130 03528028	35 x 28 x 28	1
P5130 04235035	42 x 35 x 35	1
P5130 05442042	54 x 42 x 42	1

P28: Tee - Reduced Both Ends

Copper All Ends



ITEM	SIZE	PACK QTY
P5130 01522015	15 x 15 x 22	10
P5130 02228022	22 x 22 x 28	5

Note: all sizes are in mm unless otherwise stated

P30: Tee with Female Threaded Branch

Copper x Copper x Female Thread



ITEM	SIZE	PACK QTY
P4130G01504015	15 x 15 x 1/2"	5
P4130G02204022	22 x 22 x 1/2"	5
P4130G02206022	22 x 22 x 3/4"	5
P4130G02804028	28 x 28 x 1/2"	5
P4130G02806028	28x28x3/4	5
P4130G03504035	35x35x1/2	1
P4130G04204042	42x42x1/2	1
P4130G05404054	54x54x1/2	1
P4130G06706067	67x67x3/4	1
P4130G06716067	67x67x2	1
P4130G07606076	76x76x3/4	1
P4130G07616076	76x76x2	1
P4130G08906089	89x89x3/4	1
P4130G08916089	89x89x2	1
P4130G10806108	108x108x3/4	1
P4130G10816108	108x108x2	1

Blanking Plug



For Blanking Plugs refer to Catalogue No. R302

Note: all sizes are in mm unless otherwise stated

P61: Stop End

Copper



ITEM	SIZE	PACK QTY
P5301 01500000	15	10
P5301 02200000	22	10
P5301 02800000	28	5
P5301 03500000	35	1
P5301 04200000	42	1
P5301 05400000	54	1
P4301 06700000	67	1
P4301 07600000	76	1
P4301 08900000	89	10
P4301 10800000	108	1

P69: Male Straight Union Connector

Copper x Male Thread



ITEM	SIZE	PACK QTY
P4331G01504000	15 x 1/2"	5
P4331G02206000	22 x 3/4"	5
P4331G02808000	28 x 1"	5
P4331G03510000	35 x 1.1/4"	1
P4331G04212000	42 x 1.1/2"	1
P4331G05416000	54 x 2"	1

Note: all sizes are in mm unless otherwise stated

P69: Female Straight Union Connector

Copper x Female Thread



ITEM	SIZE	PACK QTY
P4330G01504000	15 x 1/2"	5
P4330G02206000	22 x 3/4"	5
P4330G02808000	28 x 1"	5
P4330G03510000	35 x 1.1/4"	1
P4330G04212000	42 x 1.1/2"	1
P4330G05416000	54 x 2"	1

P4230B: PN16 Flange (4/8 hole)



ITEM	SIZE	PACK QTY
P4230B06720000	67	1
P4230B07620000	76	1
P4230B10811500	108	1

Note: all sizes are in mm unless otherwise stated

PG1: Straight Coupler



ITEM	SIZE	PACK QTY
PG5270 0150000	15	10
PG5270 0220000	22	10
PG5270 0280000	28	10
PG5270 0350000	35	1
PG5270 0420000	42	1
PG5270 0540000	54	1

PG1S: Slip Coupler



ITEM	SIZE	PACK QTY
PG4275 0150000	15	1
PG4275 0220000	22	5
PG4275 0280000	28	5
PG4275 0350000	35	1
PG4275 0420000	42	5
PG4275 0540000	54	1

Note: all sizes are in mm unless otherwise stated

PG2: Female Straight Connector



ITEM	SIZE	PACK QTY
PG4270G0150400	15 x 1/2"	5
PG4270G0220400	22 x 1/2"	1
PG4270G0220600	22 x 3/4"	5
PG4270G0150600	22 x 3/4"	5
PG4270G0351000	35 x 1.1/4"	1
PG4270G0421200	42 x 1.1/2"	1
PG4270G0541600	54 x 2"	1

PG3: Male Straight Connector



ITEM	SIZE	PACK QTY
PG4243G0150400	15 x 1/2"	5
PG4243G0220400	22 x 1/2"	5
PG4243G0220600	22 x 3/4"	5
PG4243G0220800	22 x 1"	1
PG4243G0280600	28 x 3/4"	1
PG4243G0280800	28 x 1"	1
PG4243G0351000	35 x 1.1/4"	1

Note: all sizes are in mm unless otherwise stated

PG6: Fitting Reducer



ITEM	SIZE	PACK QTY
PG5243 0221500	22 x 15	10
PG5243 0281500	28 x 15	1
PG5243 0282200	28 x 22	1
PG5243 0352200	35 x 22	1
PG5243 0352800	35 x 28	1
PG5243 0422200	42 x 22	1
PG5243 0422800	42 x 28	1
PG5243 0423500	42 x 35	1
PG5243 0544200	54 x 42	1
PG5243 0543500	42 x 35	1

PG12S: 90° Street Bend



ITEM	SIZE	PACK QTY
PG5001 0150000	15	10
PG5001 0220000	22	10
PG5001 0280000	28	5
PG5001 0540000	54	1

Note: all sizes are in mm unless otherwise stated

PG12: 90° Bend



ITEM	SIZE	PACK QTY
PG5002 0150000	15	10
PG5002 0220000	22	10
PG5002 0280000	28	5
PG5002 0350000	35	1
PG5002 0420000	42	5
PG5002 0540000	54	1

Note: all sizes are in mm unless otherwise stated

PG13: 90° Bend with Male Thread



ITEM	SIZE	PACK QTY
PG4001G0150400	15 x 1/2"	5
PG4001G0220600	22 x 3/4"	1
PG4001G0280800	28 x 1"	1


PG14: 90° Elbow with Female Thread Conex x Conex



ITEM	SIZE	PACK QTY
PG4090G0150400	15 x 1/2"	1
PG4090G0150600	15 X 3/4"	1
PG4090G0220400	22 x 1/2"	1
PG4090G0220600	22 x 3/4"	1
PG4090G0220800	22X1"	1
PG4090G0280800	28 x 1"	1
PG4090G0351000	35 X 1.1/4"	1
PG4090G0421200	42 x 1.1/2"	1
PG4090G0541600	54 x 2"	1

Note: all sizes are in mm unless otherwise stated

PG21: 45° Obtuse Elbow



ITEM	SIZE	PACK QTY
PG5041 0150000	15	1
PG5041 0220000	22	1
PG5041 0280000	28	1
PG5041 0350000	35	1
PG5041 0420000	42	1
PG5041 0540000	54	1

PG21S: 45° Obtuse Street Elbow



ITEM	SIZE	PACK QTY
PG5040 0150000	15	10
PG5040 0220000	22	10
PG5040 0280000	28	5

PG24: Tee - Equal



ITEM	SIZE	PACK QTY
PG5130 0151515	15	10
PG5130 0222222	22	10
PG5130 0282828	28	5
PG5130 0353535	35	1
PG5130 0424242	42	1
PG5130 0545454	54	1


Note: all sizes are in mm unless otherwise stated

PG25: Tee - Reduced Branch



ITEM	SIZE	PACK QTY
PG5130 0221522	22 x 22 x 15	10
PG5130 0281528	28 x 28 x 15	5
PG5130 0282228	28 x 28 x 22	5
PG5130 0352235	35 x 35 x 22	1
PG5130 0352835	35 x 28 x 35	1
PG5130 0422842	42 x 42 x 28	1
PG5130 0544254	54 x 54 x 42	1
PG5130 0423542	42 x 42 x 35	1

PG26: Tee - Reduced End



ITEM	SIZE	PACK QTY
PG5130 0222215	22 x 15 x 22	10

Note: all sizes are in mm unless otherwise stated

PG27: Tee - Reduced End and Branch



ITEM	SIZE	PACK QTY
PG5130 0221515	22 x 15 x 15	10

PG30: Tee with Female Threaded Branch



ITEM	SIZE	PACK QTY
PG4130G0150415	15 x 15 x 1/2"	1
PG4130G0220422	22 x 22 x 1/2"	5
PG4130G0220622	22 x 22 x 3/4"	5
PG4130G0280628	28 x 28 x 3/4"	1
PG4130G0350435	35 x 35 x 1/2"	1
PG4130G0420442	42 x 42 x 1/2"	1
PG4130G0540454	54 x 54 x 1/2"	1

PG61: Stop End



ITEM	SIZE	PACK QTY
PG5301 0220000	22	1
PG5301 0280000	28	10
PG5301 0420000	42	1
PG5301 0540000	54	1

Note: all sizes are in mm unless otherwise stated

P77282: Klauke MAP 1 Mini Battery Press Tool and jaws



ITEM	VOLT
P77282 00001UK	9.6

P77265: Klauke UAP2 Battery Press Tool



ITEM	VOLT
P77265 00000UK	12

P77281: Klauke UNP2 Press Machine



ITEM	VOLT
P77281 00000UK	110

Note: all sizes are in mm unless otherwise stated

P77300
Novopress EC03 Press Tool


ITEM	VOLT
P77300 00001UK	110

P77282:
Klauke Press Jaws for MAP1 mini


ITEM	SIZE
P77282 0150000	15
P77282 0220000	22
P77282 0280000	28

P77267:
Klauke Press Jaws for UAP2, UNP2


ITEM	SIZE
P77267 0120000	12
P77267 0150000	15
P77267 0220000	22
P77267 0280000	28
P77267 0350000	35

Note: all sizes are in mm unless otherwise stated

P77268: Klauke Press Jaws set in steel case for UAP2, UNP2



ITEM	SIZE
P77268 0152800	15, 18, 22, 28

P77300: Novopress Collars for EC03



ITEM	SIZE
P77300 0670000	67
P77300 0760000	76
P77300 0890000	89
P77300 1080000	108

P77300: Novopress Adaptors for EC03



ITEM	SIZE
P77300 3020000	66.7
*P77300 3210000	76-108(1)
*P77300 3220000	108(2)

Note: all sizes are in mm unless otherwise stated

P77300: Novopress Collars and Adaptor set for EC03



ITEM	SIZE
P77300 0010000	(P77300 0670000 + P77300 3020000)
P77300 0020000	(P77300 0760000 + P77300 3210000)
P77300 0030000	(P77300 0890000 + P77300 3210000)
*P77300 0060000	(P77300 1080000 + P77300 3220000)

*To complete 108mm joint, >B< Press tools required are: P77300 0060000 and an extra Press Adaptor P7730 3210000.

Rems AKKU Press Basic Pack with additional Battery UK



ITEM	SIZE
P571011 0000UK	12

Note: all sizes are in mm unless otherwise stated

REMS Jaws for AKKU-Press and Power Press



ITEM	SIZE
P570107 012000	12
P570112 014000	14
P570115 015000	15
P570117 016000	16
P570125 018000	18
P570135 022000	22
P570145 028000	28
P570155 035000	35
P570165 042000	42
P570165 054000	54

Rems MINI PRESS with additional battery



ITEM	SIZE
P578011 0001UK	12

Note: all sizes are in mm unless otherwise stated

Rems Jaws for Mini Press



ITEM	SIZE
P578324 012000	12
P578326 014000	14
P578328 015000	15
P578330 016000	16
P578332 018000	18
P578334 022000	22
P578335 028000	28

Note: all sizes are in mm unless otherwise stated

Rems Power Press with Automatic Circuit Control-Basic Pack



ITEM

P577010 0000UK	Rems Power Press Acc Auto. Return UK
----------------	---

Rems Power Press Basic Pack



ITEM

P577011 0000UK	Rems Power Press Basic Pack UK
----------------	-----------------------------------

Rems Quick Battery Charger

ITEM

P571560 0000UK	Rems Quick battery charger UK
----------------	----------------------------------

Note: all sizes are in mm unless otherwise stated

Rems Ni-Cd 12v 2,0 A accumulator



ITEM	VOLT
P571510 0000UK	12

Rems Connector 230V



ITEM	VOLT
P571535 0000UK	230

REMS Steel Case for Jaws



ITEM	
P570295 000000	Steel Case for 6 Jaws
P570290 000000	Steel Case for 2 Jaws

Note: all sizes are in mm unless otherwise stated

Conex

>B< Press Inox

Conex >B< Press Inox Range



Conex >B< Press fittings are available in stainless steel (1.4401 annealed DVGW 541) and are compatible with stainless steel tube to EN 10312 (Series 1 & Series 2). These fittings also feature the pressing indicator (see page 210).

The fittings are suitable for drinking water without restrictions according to DIN 50930-6, water conduit for fire extinguishing (wet/dry), treated waters and rain water units. Other applications include cooling water, heating installations, compressed air (oil free), solar installations and vacuum applications.

Conex >B< Press Inox

Stainless Steel Tube Systems

PS5270: Straight Coupler



ITEM	SIZE	PACK QTY
PS5270 0150000	15	10
PS5270 0220000	22	10
PS5270 0280000	28	5
PS5270 0350000	35	5
PS5270 0420000	42	2
PS5270 0540000	54	2
PS5270 0760000	76	1
PS5270 0890000	89	1
PS5270 1080000	108	1

PS5270F: Flange



ITEM	SIZE	PACK QTY
PS5270F0760000	76	1
PS5270F0890000	89	1
PS5270F1080000	108	1

Note: all sizes are in mm unless otherwise stated

PS5240: Reduced Straight Coupler



ITEM	SIZE	PACK QTY
PS5240 0221500	22 x 15	10
PS5240 0282200	28 x 22	5
PS5240 0352800	35 x 28	5
PS5240 0423500	42 x 35	1
PS5240 0544200	54 x 42	1

PS4275: Slip Coupler



ITEM	SIZE	PACK QTY
PS4275 0150000	15	10
PS4275 0220000	22	10
PS4275 0280000	28	5
PS4275 0350000	35	5
PS4275 0420000	42	2
PS4275 0540000	54	2
PS4275 0760000	76	1
PS4275 1080000	89	1

Note: all sizes are in mm unless otherwise stated

PS5243: Fitting Reducer



ITEM	SIZE	PACK QTY
PS5243 0221500	22 x 15	10
PS5243 0281500	28 x 15	5
PS5243 0282200	28 x 22	5
PS5243 0352200	35 x 22	2
PS5243 0352800	35 x 28	2
PS5243 0422200	42 x 22	1
PS5243 0422800	42 x 28	2
PS5243 0423500	42 x 35	2
PS5243 0542800	54 x 28	2
PS5243 0543500	54 x 35	2
PS5243 0544200	54 x 42	2
PS5243 0763500	76 x 35	1
PS5243 0764200	76 x 42	1
PS5243 0765400	76 x 54	1
PS5243 0895400	89 x 54	1
PS5243 0897600	89 x 76	1
PS5243 1085400	108 x 54	1
PS5243 1087600	108 x 76	1
PS5243 1088900	108 x 89	1

Note: all sizes are in mm unless otherwise stated

PS4273G: Male Straight Coupler



ITEM	SIZE	PACK QTY
PS4273G0150400	15 x 1/2"	10
PS4273G0220400	22 x 1/2"	10
PS4273G0220600	22 x 3/4"	10
PS4273G0280800	28 x 1"	5
PS4273G0351000	35 x 1.1/4"	5
PS4273G0421200	42 x 1.1/2"	1
PS4273G0541600	54 x 2"	1

PS4270G: Female Straight Coupler



ITEM	SIZE	PACK QTY
PS4270G0150400	15 x 1/2"	10
PS4270G0220400	22 x 1/2"	10
PS4270G0220600	22 x 3/4"	10
PS4270G0280800	28 x 1"	5
PS4270G0351000	35 x 1.1/4"	5
PS4270G0421200	42 x 1.1/2"	2
PS4270G0541600	54 x 2"	2

Note: all sizes are in mm unless otherwise stated

PS5087: Crossover Coupler (Short)



ITEM	SIZE	PACK QTY
PS5087 0150000	15	5
PS5087 0220000	22	2
PS5087 0280000	28	2

PS5088: Crossover Coupler (Long)



ITEM	SIZE	PACK QTY
PS5088 0150000	15	5
PS5088 0220000	22	2
PS5088 0280000	28	2

PS5002: Bend



ITEM	SIZE	PACK QTY
PS5002 0150000	15	10
PS5002 0220000	22	10
PS5002 0280000	28	5
PS5002 0350000	35	5
PS5002 0420000	42	5

Note: all sizes are in mm unless otherwise stated

PS5002: Bend




ITEM	SIZE	PACK QTY
PS5002 0540000	54	2
PS5002 0760000	67	1
PS5002 0890000	76	1
PS5002 1080000	89	1

PS4002G: Bend with Female Thread



ITEM	SIZE	PACK QTY
PS4002G0150400	15 x 1/2"	10
PS4002G0220600	22 x 3/4"	10
PS4002G0280800	28 x 1"	5
PS4002G0351000	35 x 1.1/4"	5
PS4002G0421200	42 x 1.1/2"	1
PS4002G0541600	54 x 2"	1

PS5001: Street Bend



ITEM	SIZE	PACK QTY
PS5001 0150000	15	10
PS5001 0220000	22	10
PS5001 0280000	28	5
PS5001 0350000	15	2
PS5001 0420000	22	2

Note: all sizes are in mm unless otherwise stated

ITEM	SIZE	PACK QTY
PS5001 0540000	54	2
PS5001 0760000	76	1
PS5001 0890000	89	1
PS5001 1080000	108	1

PS5030: Male Street Bend



ITEM	SIZE	PACK QTY
PS5030 0150000	15	5
PS5030 0220000	22	5
PS5030 0280000	28	5
PS5030 0350000	35	2
PS5030 0420000	42	2
PS5030 0540000	54	2


PS5041: Obtuse Elbow



ITEM	SIZE	PACK QTY
PS5041 0150000	15	10
PS5041 0220000	22	10
PS5041 0280000	28	5
PS5041 0350000	35	5
PS5041 0420000	42	2

Note: all sizes are in mm unless otherwise stated

PS5041: Obtuse Elbow



ITEM	SIZE	PACK QTY
PS5041 0540000	54	2
PS5041 0760000	76	1
PS5041 0890000	89	1
PS5041 1080000	108	1

PS5040: Obtuse Street Bend



ITEM	SIZE	PACK QTY
PS5040 0150000	15	10
PS5040 0220000	22	10
PS5040 0280000	28	5
PS5040 0350000	35	5
PS5040 0420000	42	2
PS5040 0540000	54	2
PS5040 0760000	76	1
PS5040 0890000	89	1
PS5040 1080000	108	1

Note: all sizes are in mm unless otherwise stated

PS4001G: Bend With Male Thread



ITEM	SIZE	PACK QTY
PS4001G0150400	15 x 1/2"	10
PS4001G0220600	22 x 3/4"	10
PS4001G0280800	28 x 1"	5
PS4001G0351000	35 x 1.1/4"	5
PS4001G0421200	42 x 1.1/2"	2
PS4001G0541600	54 x 2"	2

PS4090G: Bend With Female Thread



ITEM	SIZE	PACK QTY
PS4090G0150400	15 x 1/2"	10
PS4090G0220400	22 x 1/2"	10
PS4090G0220600	22 x 3/4"	10
PS4090G0220800	22 x 1"	5
PS4090G0280800	28 x 1"	5
PS4090G0421200	42 x 1.1/2"	1
PS4090G0541600	54 x 2"	1

PS4471G: Wall Plate Elbow



ITEM	SIZE	PACK QTY
PS4471G0150400	15 x 1/2"	10
PS4471G0220600	22 x 3/4"	5
PS4471G0280800	28 x 1"	5

Note: all sizes are in mm unless otherwise stated

PS5130 Tee Equal



ITEM	SIZE	PACK QTY
PS5130 0151515	15	10
PS5130 0222222	22	5
PS5130 0282828	28	5
PS5130 0353535	35	5
PS5130 0424242	42	2
PS5130 0545454	54	2
PS5130 0760000	76	1
PS5130 0890000	89	1
PS5130 1080000	108	1

PS5130: Tee Reduced Branch



ITEM	SIZE	PACK QTY
PS5130 0221522	22 x 22 x 15	5
PS5130 0281528	28 x 28 x 15	5
PS5130 0282228	28 x 28 x 22	5
PS5130 0351535	35 x 35 x 15	2
PS5130 0352235	35 x 35 x 22	2
PS5130 0352835	35 x 35 x 28	2
PS5130 0422242	42 x 42 x 22	2
PS5130 0422842	42 x 42 x 28	2
PS5130 0423542	42 x 42 x 35	2
PS5130 0542254	54 x 54 x 22	2
PS5130 0542854	54 x 54 x 28	2

Note: all sizes are in mm unless otherwise stated

ITEM	SIZE	PACK QTY
PS5130 0543554	54 x 54 x 35	1
PS5130 0544254	54 x 54 x 42	2
PS5130 0762276	76 x 76 x 22	1
PS5130 0762876	76 x 76 x 28	1
PS5130 0763576	76 x 76 x 35	1
PS5130 0764276	76 x 76 x 42	1
PS5130 0765476	76 x 76 x 54	1
PS5130 0892289	89 x 89 x 22	1
PS5130 0892889	89 x 89 x 28	1
PS5130 0893589	89 x 89 x 35	1
PS5130 0894289	89 x 42 x 89	1
PS5130 0895489	89 x 54 x 89	1
PS5130 0897689	89 x 76 x 89	1
PS5130 10822108	108 x 22 x 108	1
PS5130 10828108	108 x 28 x 108	1
PS5130 10835108	108 x 35 x 108	1
PS5130 10842108	108 x 42 x 108	1
PS5130 10854108	108 x 54 x 108	1
PS5130 10876108	108 x 76 x 108	1
PS5130 10889108	108 x 89 x 108	1

Note: all sizes are in mm unless otherwise stated

PS4130G: Tee With Female Branch



ITEM	SIZE	PACK QTY
PS4130G0150415	15 x 15 x 1/2"	10
PS4130G0220422	22 x 22 x 1/2"	10
PS4130G0220622	22 x 22 x 3/4"	10
PS4130G0280428	28 x 28 x 1/2"	5
PS4130G0280628	28 x 28 x 3/4"	5
PS4130G0280828	28 x 28 x 1"	5
PS4130G0350435	35 x 35 x 1/2"	5
PS4130G0351035	35 x 35 x 1.1/4"	1
PS4130G0420442	42 x 42 x 1/2"	2
PS4130G0421242	42 x 42 x 1.1/2"	1
PS4130G0540454	54 x 54 x 1/2"	2
PS4130G0541654	54 x 54 x 2"	1
PS4130G06716067	76 x 76 x 3/4"	1
PS4130G07606076	76 x 76 x 3/4"	1
PS4130G07616076	76 x 76 x 2"	1
PS4130G08916089	89 x 89 x 3/4"	1
PS4130G10806108	108 x 108 x 3/4"	1
PS4130G10816108	108 x 108 x 2"	1

Note: all sizes are in mm unless otherwise stated

PS5500: Expansion Joint



ITEM	SIZE	PACK QTY
PS5500 0150000	15	1
PS5500 0220000	22	1
PS5500 0280000	28	1
PS5500 0350000	35	1
PS5500 0420000	42	1
PS5500 0540000	54	1

PS5060: Return Band



ITEM	SIZE	PACK QTY
PS5060 0220000	22	10

Note: all sizes are in mm unless otherwise stated

PS5301: Stop End



ITEM	SIZE	PACK QTY
PS5301 0150000	15	10
PS5301 0220000	22	10
PS5301 0280000	28	5
PS5301 0350000	35	1
PS5301 0420000	42	1
PS5301 0540000	54	1
PS5301 0760000	76	1
PS5301 0890000	89	1
PS5301 1080000	108	1

Note: all sizes are in mm unless otherwise stated

Conex

>B< Press Solar

Conex >B< Press Solar Range



Conex >B< Press fittings for solar heating are identified by a green coloured FKM o-ring. The fittings are suitable for use with copper tube to EN 1057 (R250 or 2290). They are tested and approved by SPF (Solartechnik Prüfung Forschung) in Switzerland.

Conex >B< Press Solar fittings are suitable for continuous operating temperatures up to 140°C and short-term excursions up to 230°C. The range will also be suitable for applications to -20°C. >B< Press Solar is ideal for solar systems with vacuum and high vacuum tube panels as well as district heating and continuous temperatures above 110°C. FKM o-rings are suitable for a working pressure up to 10 bar.

Application	Max Temperature °C	Max Pressure Bar
Continuous operation	140	10
Short Term Excursions	230	10
Minimum applications	-20	10

Note: all sizes are in mm unless otherwise stated

PH1: Straight Coupler



ITEM	SIZE	PACK QTY
PH5270 0150000	15	2
PH5270 0220000	22	2
PH5270 0280000	28	2

PH2: Straight Female Connector



ITEM	SIZE	PACK QTY
PH4270G0150600	15 x 3/4	2
PH4270G0220600	22 x 3/4	2
PH4270G0220800	22 x 1	2

PH3: Straight Male Connector



ITEM	SIZE	PACK QTY
PH4243G0150400	15 x 1/2	2
PH4243G0150600	15 x 3/4	2
PH4243G0220600	22 x 3/4	2
PH4243G0280800	28 x 1	2


Note: all sizes are in mm unless otherwise stated

PH6: Fitting Reducer



ITEM	SIZE	PACK QTY
PH5243 0221500	22 x 15	2
PH5243 0281500	28 x 15	2
PH5243 0282200	28 x 22	2

PH12: Elbow



ITEM	SIZE	PACK QTY
PH5002 0150000	15	2
PH5002 0220000	22	2
PH5002 0280000	28	2

Note: all sizes are in mm unless otherwise stated

PH12S: Street Elbow



ITEM	SIZE	PACK QTY
PH5001 0150000	15	2
PH5001 0220000	22	2
PH5001 0280000	28	2

PH21S (PH5041): 45° Elbow



ITEM	SIZE	PACK QTY
PH5041 0150000	15	2
PH5041 0220000	22	2
PH5041 0280000	28	2

Note: all sizes are in mm unless otherwise stated

PH12S (PH5040): 45° Street Elbow



ITEM	SIZE	PACK QTY
PH5040 0150000	15	2
PH5040 0220000	22	2
PH5040 0280000	28	2

PH24 (PH5130): Equal Tee



ITEM	SIZE	PACK QTY
PH5130 0151515	15	2
PH5130 0222222	22	2
PH5130 0282828	28	2

Note: all sizes are in mm unless otherwise stated

PH25 (PH5130): Tee-Reduced Branch



ITEM	SIZE	PACK QTY
PH5130 0221522	22 x 22 x 15	2
PH5130 0282228	22 x 28 x 22	2

PH69F (PH4330G): Female Straight Union Connector



ITEM	SIZE	PACK QTY
PH4330G0220600	22 x 3/4	2

Note: all sizes are in mm unless otherwise stated

PH30 (PH4130G): Tee - Female Thread



ITEM	SIZE	PACK QTY
PH4130G0150415	15 x 1/2 x 15	2
PH4130G0220422	22 x 1/2 x 22	2

PH4355: Connector with Flat Sealing Face



ITEM	SIZE	PACK QTY
PH4355 0150600	15 x 3/4	2
PH4355 0220800	22 x 1	2

Note: all sizes are in mm unless otherwise stated

Conex

Push-Fit

Conex Push-Fit Range



270: Straight Connector



ITEM	SIZE	PACK QTY
ZN8270 0100000	10	10
ZN8270 0150000	15	10
ZN8270 0220000	22	10
ZN8270 0280000	28	5

240: Reduced Connector



ITEM	SIZE	PACK QTY
ZN8240 0151000	15 x 10	10
ZN8240 0221500	22 x 15	10

243: Fitting Reducer



ITEM	SIZE	PACK QTY
ZN8243 0151000	15 x 10	10
ZN8243 0221500	22 x 15	10
ZN8243 0282200	28 x 22	5

Note: all sizes are in mm unless otherwise stated

090: Elbow



ITEM	SIZE	PACK QTY
ZN8090 0100000	10	10
ZN8090 0150000	15	10
ZN8090 0220000	22	10
ZN8090 0280000	28	5

001: Street Elbow



ITEM	SIZE	PACK QTY
ZN8001 0150000	15	10
ZN8001 0220000	22	10
ZN8001 0280000	28	5

270G: Straight Female Connector



ITEM	SIZE	PACK QTY
ZN8270G0150400	15 x 1/2"	5
ZN8270G0220600	22 x 3/4"	5
ZN8270G0280800	28 x 1"	5

Note: all sizes are in mm unless otherwise stated

243G: Straight Male Connector



ITEM	SIZE	PACK QTY
ZN8243G0150400	15 x 1/2"	5
ZN8243G0220600	22 x 3/4"	5
ZN8243G0280800	28 x 1"	5

240G: Straight Tap Connector



ITEM	SIZE	PACK QTY
ZN8240G0150400	15 x 1/2"	5
ZN8240G0150600	15 x 3/4"	5
ZN8240G0220600	22 x 3/4"	5

002G: Bent Tap Connector



ITEM	SIZE	PACK QTY
ZN8002G0150400	15 x 1/2"	5

Note: all sizes are in mm unless otherwise stated

472G: Wall Plate Elbow



ITEM	SIZE	PACK QTY
ZN8472G0150400	15 x 1/2"	5

350: Tank Connector



ITEM	SIZE	PACK QTY
ZN8350 0150400	15 x 1/2"	10
ZN8350 0220600	22 x 3/4"	10
ZN8350 0280800	28 x 1"	5

130: Equal Tee



ITEM	SIZE	PACK QTY
ZN8130 0101010	10	10
ZN8130 0151515	15	10
ZN8130 0222222	22	10
ZN8130 0282828	28	5

Note: all sizes are in mm unless otherwise stated

130: Reduced Branch Tee



ITEM	SIZE	PACK QTY
ZN8130 0221522	22 x 22 x 15	5
ZN8130 0281528	28 x 28 x 15	5
ZN8130 0282228	28 x 28 x 22	5

130: Reduced End Tee



ITEM	SIZE	PACK QTY
ZN8130 0151010	15 x 10 x 10	10
ZN8130 0222215	22 x 15 x 22	10
ZN8130 0282815	28 x 15 x 28	5
ZN8130 0282822	28 x 22 x 28	5

130: Reduced End & Branch Tee



ITEM	SIZE	PACK QTY
ZN8130 0221515	22 x 15 x 15	10
ZN8130 0282222	28 x 22 x 22	5

Note: all sizes are in mm unless otherwise stated

130G: Female Branch Tee



ITEM	SIZE	PACK QTY
ZN8130G0150415	15 x 1/2" x 15	5


301: Stop End



ITEM	SIZE	PACK QTY
ZN8301 0100000	10	10
ZN8301 0150000	15	10
ZN8301 0220000	22	10
ZN8301 0280000	28	5

Note: all sizes are in mm unless otherwise stated

Release Tool & Head Pack



ITEM	SIZE	PACK QTY
CP-FSET002	10, 15, 22, 28	1

Tool (excluding heads)



ITEM	SIZE	PACK QTY
CP-FPLIER	-	1

Note: all sizes are in mm unless otherwise stated

Tool Head



ITEM	SIZE	PACK QTY
CP-FHEAD10	10	1
CP-FHEAD15	15	1
CP-FHEAD22	22	1
CP-FHEAD28	28	1

Internal Liners (for plastic pipes)



ITEM	SIZE	PACK QTY
C183031000PP	10 - PE-X/PB	25
E203031000PP	15 - PB	50
E183031000PP	15 - PE-X	50
G233031000PP	22 - PE-X/PB	50
H293031000PP	28 - PE-X/PB	10

Note: all sizes are in mm unless otherwise stated

Conex Cuprofit Range



The Conex Cuprofit push-fit range is simple to install, demountable and re-useable. The push-fit concept eliminates the need for flames or flux on site, thus avoiding numerous health and safety issues and saving substantial time during installation.

Conex Cuprofit push-fit fittings are manufactured from copper or DZR brass bodies and incorporate an EPDM o-ring and Stainless Steel grip ring. Conex Cuprofit fittings are designed for hard, half-hard and soft copper tubes (item codes begin with the letter S). Some items are also available for use with polyethylene (PE-x) and polybutylene (PB) pipe (item codes begin with the letter R).

Conex Cuprofit Fittings	
Item Code Prefix	Tube Compatibility
S	Copper
R	Copper, Polyethylene (PE-X) and Polybutylene (PB)

Cuprofit items can be used on drinking water and other hot/cold water systems including central heating. Conex Cuprofit offers a leak-proof, tamper resistant and demountable connection.

Hydraulic working temperatures and pressures are shown below:

Conex Cuprofit Fittings			
Size (inches)	Working pressure (bar)		
	0° to 30°C	65°C	95°C
	16	10	7

Maximum Working Temperatures and Pressures for Water Applications

Conex Cuprofit

10mm - 28mm

S270: Straight Coupler

S090: Push-Fit x Push-Fit



ITEM	SIZE	PACK QTY
R270 010000000	10	5
S270 015000000	15	5
S270 022000000	22	5
R270 028000000	28	1

R090: Elbow

S090: Push-Fit x Push-Fit



ITEM	SIZE	PACK QTY
R090 010000000	10	5
S090 015000000	15	5
S090 022000000	22	5
R090 028000000	28	1

R092P: Elbow with Extended Plain Tail

Push-Fit x Plain Tail (Male Copper) 250mm Long



ITEM	SIZE	PACK QTY
R092P010000000	10	5

Note: all sizes are in mm unless otherwise stated

R472G: Female Wall Plate Elbow

Push-Fit x Female Thread



ITEM	SIZE	PACK QTY
R472G015004000	15 x 1/2"	5

R130 S310: Tee - Equal

Push-Fit All Ends



ITEM	SIZE	PACK QTY
R130 010010010	10	5
S130 015015015	15	5
S130 022022022	22	5
R130 028028028	28	1

R130RB S130RB: Tee - Reduced Branch

Push-Fit All Ends



ITEM	SIZE	PACK QTY
R130R015010015	15 x 15 x 10	5
R130R022010022	22 x 22 x 10	5
S130R022015022	22 x 22 x 15	5
R130R028022028	28 x 28 x 22	1

Note: all sizes are in mm unless otherwise stated

R13ORE: Tee - Reduced End Push-Fit All Ends



ITEM	SIZE	PACK QTY
R13OR022022015	22 x 15 x 22	5

R13OREE: Tee - Reduced Both Ends Push-Fit All Ends



ITEM	SIZE	PACK QTY
R13OR010022010	10 x 10 x 22	5

R13OREB: Tee - Reduced End and Branch Push-Fit All Ends



ITEM	SIZE	PACK QTY
R13OR015010010	15 x 10 x 10	5
R13OR022015015	22 x 15 x 15	5

Note: all sizes are in mm unless otherwise stated

R130G: Tee with Female Branch

Push-Fit x Push-Fit x Female Thread



ITEM	SIZE	PACK QTY
R130G015004015	15 x 1/2" x 15	5
R130G022004022	22 x 1/2" x 22	5
R130G022006022	22 x 3/4" x 22	1

R243: Fitting Reducer

Plain Tail (Male Copper) x Push-Fit



ITEM	SIZE	PACK QTY
R243 015010000	15 x 10	5
R243 022015000	22 x 15	5
R243 028022000	28 x 22	1

R240: Straight Tap Connector

Push-Fit x Swivel Female Thread



ITEM	SIZE	PACK QTY
R240G015004000	15 x 1/2"	1
R240G022006000	22 x 3/4"	5

Note: all sizes are in mm unless otherwise stated

R002G: Bent Tap Connector

Push-Fit x Swivel Female Thread



ITEM	SIZE	PACK QTY
R002G015004000	15 x 1/2"	5

R301: Stop End

Push-Fit



ITEM	SIZE	PACK QTY
R301 010000000	10	5
R301 015000000	15	5
R301 022000000	22	5
R301 028000000	28	1

R302: Blanking Plug

Plain Tail (Male Copper)



ITEM	SIZE	PACK QTY
R302 015000000	15	5
R302 022000000	22	5

Note: all sizes are in mm unless otherwise stated

R243G: Male Straight Connector

Push-Fit x Male Thread



ITEM	SIZE	PACK QTY
R243G015004000	15 x 1/2"	5
R243G022006000	22 x 3/4"	5
R243G028006000	28 x 3/4"	1
R243G028008000	28 x 1"	1
R243G028010000	28 x 1.1/4"	1

R270G: Female Straight Connector

Push-Fit x Female Thread



ITEM	SIZE	PACK QTY
R270G015004000	15 x 1/2"	5
R270G022006000	22 x 3/4"	5
R270G028006000	28 x 3/4"	1
R270G028008000	28 x 1"	1
R270G028010000	28 x 1.1/4"	1

N280G: Male Plain Tail Adaptor

Plain Tail (Male Copper) x Male Thread



ITEM	SIZE	PACK QTY
N280G015004000	15 x 1/2"	5
N280G022006000	22 x 3/4"	5

Note: all sizes are in mm unless otherwise stated

N246G: Female Plain Tail Adaptor

Plain Tail (Male Copper) x Female Thread



ITEM	SIZE	PACK QTY
N246G015004000	15 x 1/2"	5
N246G022006000	22 x 3/4"	5

R350: Tank Connector

Push-Fit x Male Thread



ITEM	SIZE	PACK QTY
R350 015004000	15 x 1/2"	5
R350 022006000	22 x 3/4"	5

R086: Part Crossover

Plain Tail Both Ends (Male Copper)



ITEM	SIZE	PACK QTY
R086 015000000	15	5

Note: all sizes are in mm unless otherwise stated

N360: Telescopic Connector - Double Leg

Plain Tail Both Ends (Male Copper)



ITEM	SIZE	PACK QTY
N360 015000000	15	1
N360 022000000	22	1
N360 028000000	28	1

R370: Telescopic Connector - Single Leg

Push-Fit x Plain Tail (Male Copper)



ITEM	SIZE	PACK QTY
R370 015000000	15	1
R370 022000000	22	1
R370 028000000	28	1

Note: all sizes are in mm unless otherwise stated

R5574: In - Line Manifold (Copper) 4 PORTS x 10mm
Push-Fit x Plain Tail (Male Copper) x Push-Fit



ITEM	SIZE	PACK QTY
R5574022010000	22 x 10	1

R5594: V4 Manifold (Copper) 4 PORTS x 10mm
Push-Fit x Plain Tail (Male Copper) x Push-Fit



ITEM	SIZE	PACK QTY
R5594022010000	22 x 10	1

R5604: Boxer Manifold (Brass) 4 PORTS x 10mm
Push-Fit x Plain Tail (Male Copper) x Push-Fit



ITEM	SIZE	PACK QTY
R5604022010000	22 x 10	1

Note: all sizes are in mm unless otherwise stated

R010: Flexible Connectors

Push-Fit x Push-Fit



ITEM	SIZE	PACK QTY
R010 015050000	15 x 500	1
R010 022050000	22 x 500	1

Valves

N746: Draining Tap

Plain Tail (Male Copper)



ITEM	SIZE	PACK QTY
N746 015000000	15	10

R720: Straight Servicing Valve

Push-Fit x Push-Fit



ITEM	SIZE	PACK QTY
R720 015000000	15	2
R720 022000000	22	2

Note: all sizes are in mm unless otherwise stated

R717: Washing Machine Check Valve

Push-Fit x Male Thread



ITEM	SIZE	PACK QTY
R717 015006000	15 x 3/4"	1

R204: Lever Ball Valve

Push-Fit x Push-Fit



ITEM	SIZE	PACK QTY
R204 015000000	15	1
R204 022000000	22	1

Note: all sizes are in mm unless otherwise stated

R8606: Deburrer



ITEM	SIZE	PACK QTY
R860 0060420	6 to 42	1

R850 S850: Release Tool



ITEM	SIZE	PACK QTY
S850 022015010	22 x 15 x 10	1
R850 022015010	22 x 15 x 10	1
R850 028000000	28	1

Note: all sizes are in mm unless otherwise stated

Notes:
